

Sustainability and Environmental Advisory Panel

AGENDA – 19 SEPTEMBER 2023

Sustainability and Environmental Advisory Panel (SEAP)

Date & Time:	19 September 2023 - 5:00pm
Location:	Council Chambers, 21 Saunders Street Wynyard
Council Representatives:	Cr Celisa Edwards (Chair), Cr Andrea Courtney (Deputy Chair)
Members:	Brenton Hosking, Colin Hocking, Fiona Loughran, Hannah Sadler, Ian Ferris, Ian Newman, Peter Lawrence, Robin Krabbe, Sarah Smith, Wendy Bryant
Staff in Attendance:	Daniel Summers, Dana Hicks, Kassandra Steward, Bill Walker
Apologies	Dana Hicks
Guest Presenter:	Nil

1 WELCOME

- Ensure a quorum is achieved before opening up to official business.
- Take note of opening time

2 CONFIRM MINUTES

- Motion to confirm minutes from previous meeting.

3 NEW YEAR MEETING DATES

If we follow the current formula to identify future meeting dates for the SEAP, the third Tuesday of every second month, the first meeting of the new year should logically fall on 16 January 2024. This generally coincides with having had a Council meeting the previous evening. However, the January Council meeting is often rescheduled for week later than usual due to staff and Councillor availability as late December and early January tend to be the time when everyone takes extra timeout to recharge for the coming year.

It is therefore proposed that the 2024 SEAP meeting calendar shift by one month. The first meeting of the year would therefore be held on 20 February 2024, thereby altering the annual calendar so the remaining dates fall to April, June, August, October and December. Noting that the December meeting would occur on the second Tuesday of the month, in line with the last Council meeting of the year. Meeting minutes would consequently be finalised earlier than usual, delivered prior to the holiday shutdown. This also means that any final recommendations for 2024 would feature in the first Council meeting of 2025.

A calendar of the potential meeting dates is provided at Attachment 1 for reference.

4 TASMANIAN GOVERNMENT SUSTAINABILITY STRATEGY CONSULTATION

Public consultation has commenced for Tasmania's Sustainability Strategy, inviting all Tasmanians to help create Tasmania's sustainability vision and goals. Submissions close Friday 6 October 2023.

R. Krabbe wishes to initiate a quick discussion about possibly coordinating a submission to the Tasmania Positive Sustainability Strategy.

Sustainability and Environmental Advisory Panel

AGENDA – 19 SEPTEMBER 2023

This item is intended to consider whether the group would like to deliver a coordinated, group submission. Separate submissions can be provided in addition if wished.

Read the discussion papers at www.sustainability.tas.gov.au.

5 FOOD SECURITY UPDATE

As per Action Item 24, we invite the food security subgroup to provide updates on the development of the food security proposal for consideration and initial action recommendations for Council consideration.

6 BALLAD AVENUE UPDATE

As per Action Item 29, we invite the subgroup on Ballad Ave improvement options to provide an update on preliminary discussions which occurred at Council's Ballad Avenue land for consideration of the group and recommendations to Council for consideration.

An idea raised at the previous meeting and prior to the on-site meeting was to investigate the possibility of introducing a Tiny Forest and potentially utilising that opportunity to educate by working with the High School's Green Team. (Action Item 21 sub-point).

Additional ideas that came out of the on-site meeting between SEAP members and parents have been provided in an ideas paper submitted for discussion by P. Lawrence (Attachment 2).

6.1 Bike Paths and Walking Tracks

The Ballad Avenue ideas paper also taps into an idea to introduce bike paths/walking tracks that create safe linkages between schools and family facilities which has also been highlighted for discussion and consideration of the group.

7 WILDLIFE CORRIDOR STRATEGY

C. Hocking would like to propose discussion on a WWC Wildlife Corridor Strategy as it related to the developing Vegetation Management Strategy. As part of the conversation, it is suggested that consideration be given to what a productive sequence of actions might be for developing the two strategies relationship and in conjunction with other WWC policies and strategies. A discussion paper previously circulated to the group has been included for reference (Attachment 3).

8 VEGETATION MANAGEMENT STRATEGY UPDATE

As per Action Item 26, we invite the subgroup on Vegetation Management Strategy to provide updates on the development of a finalised vegetation strategy scoping document for the review of the group in preparation for recommendations to Council.

9 UPDATE ON RECOMMENDATIONS TO COUNCIL

- Recommendations list included in this agenda begin at page 7.

10 REVIEW OF ACTIONS LIST

- Actions list included in this agenda at page 4.

Sustainability and Environmental Advisory Panel

AGENDA – 19 SEPTEMBER 2023

11 UPCOMING MEETINGS

- 21 Nov 2023 at Council Chambers
- New Year: TBC

12 GENERAL BUSINESS

- Call for members to raise other general business.

13 CLOSURE

- Take note of closing time

Sustainability and Environmental Advisory Panel

AGENDA - 19 SEPTEMBER 2023

Action List as at 18 July 2023

No.	Action	Meeting	Responsibility	Due	Status
1	Review meeting frequency at the third official meeting of the group (six months).	31 Jan 23	Group	46 May 23 19 Sept 23	Not Started / Deferred
5.	Form a subgroup looking at a weed reduction program including education and transfer of knowledge into Council a strategy.	21 Mar 23	F. Loughran, B. Walker & C. Hocking	For July meeting	In Progress
6.	Provide details and/or a contact at Central Coast Council re: HEAT home energy tool and associated community outreach	21 Mar 23	P. Lawrence & K. Steward	Before May meeting	CLOSED
7.	Seek further information on possible funding for waste education through the state government.	21 Mar 23	Cr. A. Courtney & D. Summers	For July meeting	In Progress
8.	Adjust and reorganise the Action Plan produced as part of the January brainstorming session. Soft copy of native file to be provided.	21 Mar 23	C. Hocking, Cr C. Edwards, D. Summers & K. Steward	For July Meeting	Complete
9.	Provide an outline of a food security proposal for the group to consider actions for.	21 Mar 23	R. Krabbe, H. Sadler, W. Bryant & S. Smith	For July meeting	Complete – Superseded by Action 24 taken at July meeting
10.	Provide examples and case studies to assist progress for easily achievable Community adaptation and resilience projects. E.g., Camp Creek, Inglis River	21 Mar 23	B. Hosking & C. Hocking	For July meeting	In Progress
13.	Review, research and make recommendations for a revised/new Tree Policy for the consideration of the group. • Refer Action 19 – next steps	21 Mar 23	C. Hocking & I. Ferris	For July meeting	CLOSED

Sustainability and Environmental Advisory Panel

AGENDA - 19 SEPTEMBER 2023

No.	Action	Meeting	Responsibility	Due	Status
14.	Wildlife corridor concepts and management including threatened species (urban greening links/corridors) – Research and provide case studies for the group's consideration.	21 Mar 23	W. Bryant I. Ferris & P. Lawrence	For Sept meeting TBC	In Progress
16.	Provide information on the shared environmental officer discussion with Cradle Coast Authority. • Assess the needs of/for an environmental officer, both strategic and day to day.	21 Mar 23	P. Lawrence	Before May meeting	Complete
		16 May 23	D. Hicks / D. Summers	For review at Sept meeting	In Progress
18.	D. Hicks to circulate current waste education documentation to group for reference and review ahead of any formal recommendation Council.	16 May 23	D. Hicks	Before July meeting	CLOSED
19.	C. Hocking, P. Lawrence and I. Ferris to collate and summarise best practice tree and other vegetation policy framework and send to D. Hicks and D. Summers to review and consider. Resulting documents to be tabled at the following SEAP meeting for consideration before making recommendations to Council.	16 May 23	C. Hocking P. Lawrence I. Ferris D. Hicks D. Summers	For July meeting	Complete – Superseded by Action 26 taken at July meeting
20.	D. Hicks to provide to SEAP members information including natural values found on site at Ballad Avenue to help inform members ideas on land use.	16 May 23	D. Hicks	Before July meeting	Not Started
21.	SEAP members to review Ballad Avenue information and provide in return ideas for possible land use at Ballad Avenue. • Investigate the possibility of a Tiny Forest option - opportunity to implement w/ the High School Green Team in this location if appropriate.	16 May 23	Group	For July meeting	In Progress
		18 July 23	S. Smith	For Sept meeting	In Progress
22.	D. Hicks / D. Summers to look into bringing a wildlife corridor strategy into the planning process.	16 May 23	D. Hicks & D. Summers	TBC	In Progress
23.	Group to consider the pause places programme and provide feedback and/or endorsement to the Cradle Coast Authority representative out of session and prior to the September meeting.	18 July 2023	Group	By Sept meeting	New

Sustainability and Environmental Advisory Panel

AGENDA - 19 SEPTEMBER 2023

No.	Action	Meeting	Responsibility	Due	Status
24.	Food security subgroup to provide further updates on the food security proposal development, including initial action recommendations for consideration. - Supersedes Action 9 for progress	18 July 2023	R. Krabbe, H. Sadler, W. Bryant & S. Smith	For Sept Meeting	New
25.	S. Smith to provide a link to the “tree plotter” product / website.	18 July 2023	S. Smith	Before Sept Meeting	New
26.	Group members to provide a finalised version of a Vegetation Strategy scope document for review of group ready for recommendations to Council. - Supersedes Action 19 for progress	18 July 2023	C. Hocking P. Lawrence I. Ferris D. Hicks D. Summers	For Sept Meeting	New
27.	K. Steward & D. Summers to provide a finalised version of the SEAP Action Plan to members out-of-session for agreement prior to going to Council for endorsement.	18 July 2023	K. Steward, D. Summers	Prior to Aug Council Meeting	New
28.	I. Newman and H. Sadler to provide Sisters Beach toolkit/education options for discussion at the September meeting with the intent of producing a community introduction and education campaign focusing on Sisters Beach.	18 July 2023	I. Newman, H. Sadler	For Sept meeting	New
29.	Subgroup (S. Smith, P. Lawrence, I. Ferris and R. Krabbe) to explore, map and make recommendations on Ballad Avenue to SEAP which will inform recommendations to Council at September meeting.	18 July 2023	S. Smith, P. Lawrence, I. Ferris, R. Krabbe	For Sept meeting	New
30.	D. Summers to resend the small community solar paper for SEAPs review and consideration.	18 July 2023	D. Summers	Before Sept meeting	New
31.	H. Sadler to provide a copy of a 2 page report from the Climate Council on bioenergy.	18 July 2023	H. Sadler	Before Sept meeting	New

Sustainability and Environmental Advisory Panel

AGENDA - 19 SEPTEMBER 2023

No.	Action	Meeting	Responsibility	Due	Status
32.	B. Walker to organise an information session on the move from the Weed management Act to the Biodiversity Act.	18 July 2023	B. Walker	TBC	New

Updates for Recommendations to Council as at 18 July 2023

No.	Recommendation	Meeting	Update	Outcome
1	SEAP recommends Council to amend its Sponsorship Signage Policy to exclude fossil fuels in recognition of their health and climate impacts as Council has already done in regard to gambling, alcohol and tobacco.	21 Mar 2023	16/05: Council have agreed and implemented changes to the Sponsorship Signage Policy as recommended.	CLOSED
2	SEAP recommends Council to introduce an annual EcoFair event in conjunction with Spring Loaded to raise awareness in the community and promote sustainable living and a healthy relationship with the environment.	21 Mar 2023	16/05: Council have agreed to introduce an "Eco Village" area to the Tulip Festival with the intention that the first year be small an impactful, leveraging off of the festival. The aim will be to use a small well received first year as a foundation to build on in future years.	CLOSED
3	SEAP recommends Council to participate in the Cities of Power Partnership which presents an opportunity to join dozens of other councils across the country leading the way to a zero emissions future by providing the necessary tools, resources, and connections to help accelerate their climate and energy goals.	21 Mar 2023	16/05: Council have agreed to the recommendation and will implement as part of its commitment to progressing iCEP initiatives. Council Officers are reviewing the participation requirements including the pledge list.	CLOSED

Sustainability and Environmental Advisory Panel

AGENDA - 19 SEPTEMBER 2023

No.	Recommendation	Meeting	Update	Outcome
4	SEAP recommends Council to investigate opportunities for greater take up and usage of the Home Energy Audit Toolkit (HEAT).	16 May 2023	18/06: An update on the initial list of pledges chosen by Council were relayed to the group. These include; • Install renewable energy (solar PV and battery storage) on council bldgs. • Roll out energy efficient lighting across the municipality. • Develop procurement policy to ensure the practices of contractors and financiers align with councils renewable energy, energy efficiency and sustainable transport goals. • Support the local community to develop capacity and skills to tackle climate change. • Provide fast charging infrastructure throughout the city at key locations for electric vehicles.	In Progress
5	SEAP recommend Council request a speed limit reduction for Sisters Beach Road from the Transport Commissioner.	16 May 2023	Traffic Counters will be placed on Sisters Beach Road before the end of July in order to present necessary data to Council and the Transport Commissioner. 18/06: Traffic data is being collected and assessed which will go to the next Council meeting.	In Progress

Sustainability and Environmental Advisory Panel

AGENDA - 19 SEPTEMBER 2023

No.	Recommendation	Meeting	Update	Outcome
6	SEAP recommend Council consider extending the virtual fencing along Sisters Beach Road	16 May 2023	18/06: Initial discussion with Parks & Wildlife has occurred, they have suggested that the request makes sense though proper data is needed to back up the proposal. B. Walker advised that when required in Circular Head, they hired a consultant to check, pick up and record roadkill incidents in order to supply evidence based data for their request. It was suggested that with the introduction of the fencing, devils, and other fauna, have undergone behavioural changes and shifted their movements and/or habits towards unfenced areas of Sisters Beach Road; this in turn has seemingly led to more visibility of roadkill in some locations where it may previously have been spread over a wider area. There is currently a roadkill application in place for Sisters Beach, but it was noted that it requires more consistency of use for the data to be deemed realistic. It was suggested that education and more community awareness around the roadkill app may help to rigourise the information to back up a fence extension request. Additionally, the data collected includes information about all roadkill incidents to the area, not just devils, increasing its practicality. It was suggested that perhaps an information campaign could be run though the Council Comms Officer to include the Sisters Beach community tool kit. I. Newman and H. Sadler advised they could provide some options that could be discussed as an agenda topic at the next meeting.	In Progress

Sustainability and Environmental Advisory Panel

AGENDA - 19 SEPTEMBER 2023

INFORMATION FOR DISTRIBUTION

ATTACHMENTS LIST:

1. 2024 SEAP Meeting Calendar
 2. Ballad Avenue Idea Paper
 3. Wildlife Corridors For Waratah-Wynyard Council
-

1 PROPOSED 2024 SEAP MEETING CALENDAR

- Illustrative calendar for the 2024 SEAP year of meetings and other key dates.

2 BALLAD AVENUE IDEAS PAPER

- A small group of SEAP members plus a few school parents met on-site at Ballad Ave on Friday afternoon, 1 September for a preliminary discussion about ideas for the Ballad Ave site. The attached ideas paper comprises a short summary report the ideas and discussions from that meeting.

3 WILDLIFE CORRIDORS FOR WARATAH-WYNYARD COUNCIL

- A reference document to assist discussion on a proposed WWC Wildlife Corridor Strategy and how it would relate to the Vegetation Management Strategy.

Sustainability and Environmental Advisory Panel

AGENDA - 19 SEPTEMBER 2023

Attachment 1: PROPOSED 2024 SEAP MEETING CALENDAR

SEAP Meeting Calendar 2024

LEGEND

	Agenda items		Meeting date
	Agenda out		Minutes out

January 24

Mo	Tu	We	Th	Fr	Sa	Su
1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31				

February 24

Mo	Tu	We	Th	Fr	Sa	Su
			1	2	3	4
5	6	7	8	9	10	11
12	13	14	15	16	17	18
19	20	21	22	23	24	25
26	27	28	29			

March 24

Mo	Tu	We	Th	Fr	Sa	Su
				1	2	3
4	5	6	7	8	9	10
11	12	13	14	15	16	17
18	19	20	21	22	23	24
25	26	27	28	29	30	31

April 24

Mo	Tu	We	Th	Fr	Sa	Su
1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30					

May 24

Mo	Tu	We	Th	Fr	Sa	Su
		1	2	3	4	5
6	7	8	9	10	11	12
13	14	15	16	17	18	19
20	21	22	23	24	25	26
27	28	29	30	31		

June 24

Mo	Tu	We	Th	Fr	Sa	Su
					1	2
3	4	5	6	7	8	9
10	11	12	13	14	15	16
17	18	19	20	21	22	23
24	25	26	27	28	29	30

July 24

Mo	Tu	We	Th	Fr	Sa	Su
1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31				

August 24

Mo	Tu	We	Th	Fr	Sa	Su
			1	2	3	4
5	6	7	8	9	10	11
12	13	14	15	16	17	18
19	20	21	22	23	24	25
26	27	28	29	30	31	

September 24

Mo	Tu	We	Th	Fr	Sa	Su
						1
2	3	4	5	6	7	8
9	10	11	12	13	14	15
16	17	18	19	20	21	22
23	24	25	26	27	28	29
30						

October 24

Mo	Tu	We	Th	Fr	Sa	Su
	1	2	3	4	5	6
7	8	9	10	11	12	13
14	15	16	17	18	19	20
21	22	23	24	25	26	27
28	29	30	31			

November 24

Mo	Tu	We	Th	Fr	Sa	Su
				1	2	3
4	5	6	7	8	9	10
11	12	13	14	15	16	17
18	19	20	21	22	23	24
25	26	27	28	29	30	

December 24

Mo	Tu	We	Th	Fr	Sa	Su
						1
2	3	4	5	6	7	8
9	10	11	12	13	14	15
16	17	18	19	20	21	22
23	24	25	26	27	28	29
30	31					

Sustainability and Environmental Advisory Panel

AGENDA - 19 SEPTEMBER 2023

Attachment 2: BALLAD AVENUE IDEAS PAPER

Preliminary Ideas for Ballard Ave Land

Valuable plot of land worth retaining as a nature park to enjoy and appreciate, plus outdoor education opportunity for the whole community. The land adjoins the Inglis River track on the north and the primary and high schools on the south. Improve the access for the younger and older residents by upgrading bike and walking tracks. Huge benefit for the socialisation, education, involvement, and health of local families.

Community gathering space for small celebrations (eg, community BBQ's, birthdays, family celebrations, NAIDOC week), nature immersion and education within the township. Surrounded by native forest, a calming community space for play, learning and connection to community and nature. Widely accessible to the broader community through well-built natural walking and cycling trails, some car parking and formal access to the school.

- Unique large open area that is protected, quiet, warm & sunny, away from traffic
- Multiple free BBQ's to encourage regular community usage of reserve
- Toilets
- Small sound-shell and large open area for crowds or medium sized events
- Small multi-generational nature-based playground (natural labyrinth, natural stones and logs to climb and balance along, uneven trails through natural vegetation)
- Diverse native arboretum with interpretive signage, and natural paths suitable for wheel chairs and gophers
- Nature learning place for school, community and visitors

Key opportunity to install a bicycle and walking track to connect Table Cape Primary School, Wynyard High School, and Larapri Child & Family Centre families to active transport options from Katelyn Drive, Pandanus Court, etc. Less than 700m from York Street to Ballard Ave crossing Big Creek. Encourage bikes and walking with key entrance to primary school from Ballard Ave, include bike parking and an enticing family meeting point on the north-west side of the school, and relieve school traffic issue on Gibbon Street.

Nature based play and native values interpretation with links to opportunities for school to utilise the space for outdoor education (science, reflection, physical education and connections with broader community projects).

Outdoor classroom, natural group seating for community groups, school groups or family groups to meet.

Important to engage the surrounding residents in the refinement of plans and the creation of the space (eg, community art or seating). Working bees to maintain the bush areas (planting, removing weeds, etc) creates a sense of ownership, with BBQ to follow.

Small communal living complex for older, single citizens located on Ballard Ave. The residents maybe interested in volunteering in enhancing the nature reserve and/or nature education activities. These living complexes are popular in other towns in Tasmania and the mainland. Spencer Aged Care group maybe interested?

Solicit the community when naming the park.



Bicycle Path

Legend



Sustainability and Environmental Advisory Panel

AGENDA - 19 SEPTEMBER 2023

3 WILDLIFE CORRIDORS FOR WARATAH-WYNYARD COUNCIL

Biodiversity Corridors For Waratah-Wynyard Council

Colin Hocking 5/5/2023

The purpose of this proposal is to raise the prospect for, and promote ideas about, how best to identify, maintain and enhance biodiversity corridors within Waratah-Wynyard Council.

A significant number of Councils, Shires and other agencies across Australia now have biodiversity corridors of some type as part of their overall environmental strategy (sometimes called other names: ecological linkages, wildlife corridors, wildlife connection plans, biolinks, habitat corridors, etc.).

Redlands Council, in Queensland, have a comprehensive and comprehensible strategy for biodiversity corridors across their area of jurisdiction (attached and linked to at https://www.redland.qld.gov.au/download/downloads/id/2773/wildlife_connection_plan_2018_-2028.pdf

Redlands Council describe Wildlife Corridors as follows:

“Fragmentation of wildlife habitat in the Redlands has resulted in smaller disconnected patches of wildlife habitat that has reduced wildlife movement and has led to a reduction in biodiversity. Wildlife habitat, networks and corridors are the areas of connected native vegetation that enable the maintenance of ecological processes, the movement of wildlife and support the continuation of viable populations.”

The Redlands Council plan, and similar plans from other Councils, could be used as one template for how Waratah-Wynyard can develop a Biodiversity Corridor Policy and Strategy.

Relevance of Biodiversity Corridors to Waratah-Wynyard Council

WWC covers public and private land rich in biodiversity, with many areas that maintain high ecological integrity. WWC is habitat for rare plant and animal species, many of which are significant at State and National level. They include the Eastern Barred Bandicoot, the Eastern Brown Bandicoot, the Tasmanian Devil, Eastern and Spotted Tail Quoll, Tasmanian Wedgetail Eagle, Swift Parrot, etc., as well as numerous threatened plant species

Over time, it is apparent that the habitat of these and other significant species is being fragmented and otherwise divided by physical and other ecological barriers. There needs to be action now to head off these isolating effects of fragmentation and development.

Biodiversity corridors have already been identified as significant for WWC

In the WWC iCE,P under Item 38. *Protecting, enhancing and recovering biodiversity*, there is an action specific to biodiversity corridors

“38.3 Work with appropriate partner agencies to enhance and extend biodiversity corridors throughout Waratah-Wynyard, prioritising those currently at high risk.”

This is rated as Essential within the iCEP list of actions, with identified NRM as the lead within Council

(WWC iCEP Summary, at pg. pg. 22, under Theme 5 Environmental Stewardship)

Priority Actions for Developing Biodiversity Corridors

There is a priority now to:

1. Identify what the high significant corridors for biodiversity are within WWC, , in as far as these are known, on both public and private land.
2. Develop a set of interim protocols for how these corridors should be protected.
3. Set up a number of pilot projects to investigate the effectiveness and value of the interim protocols, primarily around highly significant locations.
4. Establish interim protocols for wildlife corridor management, as well as areas identified as significant corridors, and in the longer term, develop detailed Council Policy, Strategy and Guidelines for wildlife corridor identification and management, and embed these across the range of relevant WWC strategies (e.g. Settlement Strategy).

In this process, interested local and regional communities and organisations with interest in wildlife corridors should be invited to participate in helping to identify significant wildlife corridors, and what the interim protocols for management should be.

Next Steps

The next steps in the process for developing a WWC Biodiversity Corridor Policy, Strategy and Guidelines might be to:

Identify the range in people within WWC Council who have a responsibility, as well as interest, in developing biodiversity corridors.

Identify which WWC policies and strategies are relevant to the development of WWC biodiversity corridors , so that consideration can be given to adjustment of these in future, in the light of the development Biodiversity Corridors Policy and Strategy.

Identify which local communities, formalized community groups and organisations have an interest and need to identify, protect and enhance biodiversity corridors.

Set up a process for how Council Officers and community representatives can work through the processes for identifying corridors and developing interim protocols.

Note: UTas and Other Organisations as Partners and Resources

The University of Tasmania (UTas) and Bush Heritage Australia are partners in a major biodiversity corridor project to connect Tasmania's Eastern Tiers and Western Tiers via biodiversity corridors – see <https://www.bushheritage.org.au/places-we-protect/tasmania/midlands#:~:text=Between%20Tasmania's%20Eastern%20Tiers%20and%20Great%20Western%20Tiers,the%20west%20C%20south%20and%20north%20of%20the%20state>.

UTas have significant expertise in the identification and development of biodiversity corridors, and may be interested, with their students, in a project within WWC to identify and developing management plans, for biodiversity corridors – see attached guide for biodiversity corridors.



REDLAND CITY COUNCIL

Wildlife Connections Plan

2018 - 2028



Contents

Executive Summary	4
Introduction	5
Objectives of the Plan	6
Action Plan Objectives	6
Legislation, Policy and Plans relevant to Strategic Corridors	7
National, State and Regional Corridor Strategic Planning	7
Redland City Council Corporate Plan 2015-2020	7
Redland City Council - Natural Environment Policy	8
Local Corridor Strategic Planning	8
Ecology and Principles of Wildlife Habitat Networks and Corridors	9
Modelling of Redlands Wildlife Habitat Networks and Corridors	11
Limitations of Modelling Redlands Wildlife Habitat Networks and Corridors	13
Developing the Redlands Wildlife Habitat Networks and Corridors	17
Wildlife Habitat Networks and Corridors	18
Established Corridors	22
Regional Riparian Corridors	24
Coastal Foreshore Corridors	26
Enhancement Corridors	28
Stepping Stone Corridors	30
Priority Outcomes for Wildlife Habitat Network and Corridors	32
Action Plan	34
Monitoring of Action Plan Implementation	34
References	35
Appendix 1 - Summary and review of Federal, State and Regional Corridor Plans and Strategies	37
Appendix 2 – Summary and review of Existing Corridor Strategies and Actions for Redland City Council	41
Appendix 3 – Literature Review of Ecology and Principles of Wildlife Habitat Networks and Corridors	46
For Appendices 4 to 8 refer to associated document ‘Corridor Descriptions and Locations 2018-2028’	51
Appendix 4 – Established Corridors	51
Appendix 5 – Regional Riparian Corridors (BPA)	51
Appendix 6 – Coastal Foreshore Corridors	51
Appendix 7 – Enhancement Corridors	51
Appendix 7a – Enhancement Corridors in Known Development Areas Corridors	51
Appendix 8 – Stepping Stone Corridors	51

Table of Figures

Figure 1 - Raster heat map output from CircuitScape Modelling.....	15
Figure 2 - Core Habitat, Established and Enhancement Corridors from CircuitScape Modelling...	16
Figure 3 - Wildlife Habitat Network and Corridors in Redland City.....	20
Figure 4 - Wildlife Habitat Network and Corridors in Redland City - Detailed Example.....	21
Figure 5 - Established Corridors.....	23
Figure 6 - Regional Riparian Wildlife Habitat Corridor.....	25
Figure 7 - Coastal Foreshore Wildlife Habitat Corridors.....	27
Figure 8 - Enhancement Corridors.....	29
Figure 9 - Stepping Stone Corridors.....	31
Figure 10 - Map of Queensland showing state-wide conservation corridors.....	38
 Table 1: Summary of Corridor Planning	 7
Table 2 - Summary Wildlife Habitat Networks & Corridors attributes functions & guiding Principles.....	10
Table 3 - Definition of Wildlife Habitat Corridor Types	18
Table 4 - Summary of the values and threats for the Established Corridors	22
Table 5 - Summary of the values and threats for the Regional Riparian Corridors.	24
Table 6 - Summary of the values and threats for the Coastal Foreshore Corridors	26
Table 7 - Summary of the values and threats for the Enhancement Corridors.....	28
Table 8 - Summary of the values and threats for the Stepping Stone Corridors	30
Table 9 - Summary of priority outcomes by corridor type	32

Executive Summary

Fragmentation of wildlife habitat in the Redlands has resulted in smaller disconnected patches of wildlife habitat that has reduced wildlife movement and has led to a reduction in biodiversity. Wildlife habitat, networks and corridors are the areas of connected native vegetation that enable the maintenance of ecological processes, the movement of wildlife and support the continuation of viable populations. The Wildlife Connections Plan 2018-2028, aims to geographically identify, at a city wide scale, and provide priority actions for the management, protection and enhancement of a network of core wildlife habitat and connecting corridors in Redland City.

Development of this plan utilised spatial modelling (CircuitScape) to identify areas of key terrestrial wildlife corridor values that occur between core vegetation areas throughout Redland City. The modelling was based on the most up-to-date research, technology and available ecological and anthropogenic data. The modelling outputs and expert local knowledge were used to develop the high priority wildlife habitat networks and corridors detailed within this plan. The priority corridors have been assigned target widths and buffers, based on wildlife corridor ecology literature and principles.

The identified priority wildlife habitat corridors are assigned names and values, connectivity, threats and priority management actions have been recorded to increase the understanding of each corridor. The corridors link the critical areas of Core Habitat, based on interior areas of remnant vegetation.

Five categories of wildlife habitat corridors have been defined:

- Established Corridors - high ecological value and strong wildlife movement;
- Regional Riparian Corridors - high ecological value and identified as a state significance riparian corridors;
- Coastal Foreshore Corridors - coastal fringe corridor of mainland and islands;
- Enhancement Corridors - sufficient ecological values and linkages with scope for enhancement; and
- Stepping Stone Corridors - isolated patches of functional connected habitat.

Priority objectives and outcomes are listed for each individual corridor to:

- Improve Corridor Habitat
 - Rehabilitation of gaps and pinch points.
- Prevent Wildlife Deaths
 - Safe fauna passage across road (or rail) barriers.
- Reduce Impacts on Corridors
 - Management of urban and/or peri-urban and/or rural area impacts; and
 - Management of storm tide and sea level rise impacts
- Protect Corridor Habitat
 - Review City Plan to determine any necessary consequential amendments.

Strategic corridor locations identifying key values and associated priority outcomes are found in the associated document, Corridor Descriptions and Locations (Appendix 4-7). The implementation of the priority outcomes will be achieved through a variety of methods and will be the responsibility of several areas within Council.

It is important to recognise that the identified mapped core habitat and corridors represent only the high value habitat and corridors. Many of the areas not identified within this plan will still play a vital role in providing habitat and safe movement opportunities for many wildlife species.

Introduction

The Redland City Council local government area is made up of both mainland and island communities. It includes developed urban areas in the north of the City, rural and bushland habitat areas in the south as well as North Stradbroke Island, Coochiemudlo Island and the Southern Moreton Bay Islands (Macleay, Lamb, Karragarra and Russell Islands). The Redlands contains a diverse array of wildlife habitats, including dry and wet eucalypt forests, littoral and riparian rainforest, various wetland and heathland habitats, mangrove and saltmarsh. These habitats all accommodate wide-ranging populations of plants, animals and fungi. To ensure the healthy function of our natural environment, Council is focussed on ensuring habitat is properly mapped, connected, enhanced and protected using a mixture of scientifically rigorous methods and expert knowledge and skills.

Fragmentation of wildlife habitat in the Redlands is caused by the clearing of native vegetation for agricultural, industrial and urban development. Fragmentation results in smaller disconnected patches of wildlife habitat that reduces the ability of wildlife movement, and ultimately leads to a reduction in biodiversity. (Brearley 2011 & Ndubisi et al. 1995)

The Redland City Council area contains many existing wildlife habitat networks and corridors with various values. These corridors and networks are essential for viable flora and fauna populations as they enable migration, colonisation and breeding within a fragmented landscape.

Networks and corridors of wildlife habitat may consist of a combination of environmental (bushland habitat) areas, street tree plantings, recreational parks and reserves, residential backyards, non-urban private lands, foreshore areas, waterways and riparian areas. Effects from transport networks (road and rail), urban areas and other developments can have a detrimental impact on flora and fauna populations.

For the purposes of this plan, wildlife habitat networks and corridors are the areas of land or water (physical connections) that link and provide plant and animal habitats, therefore reducing the impacts of the fragmented landscape. The term network refers to the broad connectivity between patches of core wildlife habitat and the corridors that link them.

All native flora and fauna are protected by a suite of legislative and non-legislative tools in South East Queensland, including planning and non-planning instruments. In recent years, government responses at both the State and Federal level have strengthened and enhanced corridor connections. With development and population growth in Redland City continuing, Council is committed to ensuring wildlife habitat corridors and networks are protected and enhanced for the conservation of our valued wildlife and their natural habitats.

The challenge for this non-statutory plan is to re-evaluate, document and consolidate Council's approach to corridor conservation and management, by identifying and focusing effort on outcomes that are viable, and identify new and innovative actions.

Objectives of the Plan

The Wildlife Connections Plan 2018-2028 aims to, at a city wide scale, geographically identify and provide priority actions for the management, enhancement and protection of core wildlife habitat patches and to facilitate improved connection of wildlife corridors in Redland City.

It is important to recognise that as this plan is at the city wide scale, only the highest priority corridors are presented. Areas not identified as core habitat or corridors will continue to play a vital role in providing habitat and movement opportunities for wildlife.

This plan aims to include terrestrial (land), riparian (waterway) and coastal foreshore corridors to provide ecologically appropriate wildlife habitat networks and corridors for a range flora and fauna.

This non-statutory plan will form a guide to strengthen corridors by recognising opportunities for the management and enhancement of existing Council reserves and managed land. This plan will also be used to inform Council's extension and community education programs, conservation land acquisitions program and assist in identifying potential offset sites. A review of City Plan will also be undertaken to determine any necessary consequential amendments.

The wildlife habitat corridors are identified by local geographic location, aimed to engender local community recognition, acceptance and ownership.

The plan aims to facilitate a number of key outcomes to achieve these objectives through a targeted and prioritised action plan. The action plan addresses the key risks to the function, protection and management of corridors and networks.

Action Plan Objectives

- **Improving Corridor Habitat**

Outcome 1: Rehabilitation of gaps and pinch points.

- **Preventing Wildlife Deaths**

Outcome 2: Safe fauna passage across road (or rail) barriers.

- **Reduce Impacts on Corridors**

Outcome 3: Management of urban and/or peri-urban and/or rural area impacts; and

Outcome 4: Management of storm tide and sea level rise impacts.

- **Protecting Corridor Habitat**

Outcome 5: Review City Plan to determine any necessary consequential amendments.

Legislation, Policy and Plans relevant to Strategic Corridors

National, State and Regional Corridor Strategic Planning

Successful strategic planning for wildlife habitat networks and corridors must involve participation from local, regional, state and national levels. Table 1 below outlines the relevant national, state and regional plans and strategies involving wildlife habitat networks and corridors planning. Appendix 1 provides a summary and review of these Federal, State and Regional documents.

Table 1: Summary of Corridor Planning

Scale	Program
National	National Wildlife Corridors Plan (Department of Sustainability, Environment, Water, Population and Communities, 2012)
State	Corridor identification through the Biodiversity Planning Assessments (Queensland Department of Environment and Heritage Protection, 2015)
Regional	Shaping SEQ - Draft South East Queensland Regional Plan (Department of Infrastructure, Local Government and Planning, 2016) Biodiversity Planning Assessment for the Southeast Queensland Bioregion – Version 4.1 (Department of Environment and Heritage Protection, 2016)

Redland City Council Corporate Plan 2015-2020

The Redland City Council Corporate Plan 2015-2020 establishes a commitment to promoting:

“A diverse and healthy natural environment, with an abundance of native flora and fauna and rich ecosystems, will thrive through awareness, commitment and action in caring for the environment.

- 1. Redland’s natural assets including flora, fauna, habitats, biodiversity, ecosystems and waterways are managed, maintained and monitored.*
- 2. Threatened species are maintained and protected, including the vulnerable koala species.”*

Council understands that key to the delivery of this outcome is the maintenance of sufficient wildlife habitat across the City to support the ecological functions of the flora and fauna that live within or migrate through the Redlands.

Redland City Council - Natural Environment Policy

In June 2015, Council adopted the *POL-3128 Natural Environment Policy*, consolidating former environmental policies. Council resolved to prepare updated strategies and plans to progress the Natural Environment Policy, identifying a number of priorities; including corridors. This plan will relate to the following sections of the Natural Environment Policy:

- “1. Protect, enhance, restore the natural values of the City that include:
 - a. Koalas and other native animal and plant populations and habitats;
 - b. core habitat areas as sanctuaries for wildlife;
 - c. safe wildlife movement corridors across the landscape;
 - d. maintaining no net loss of native vegetation as defined in the Vegetation Management Act 1999;
 - e. biological diversity and ecosystem services;
 - f. waterways, foreshores, wetlands, coasts, aquatic ecosystems and Moreton Bay;*
- 2. Enhance and restore Council’s protected areas and strengthen the connections between core habitats through public open space plantings, pest management and appropriate street tree planting programs in accordance with SEQ Natural Resource Management targets.*
- 3. A conservation acquisition program that prioritises acquisition of land for rehabilitation, offsets, corridors and long term protection to achieve cost effective environmental outcomes that contribute to facilitating biodiversity conservation (eg koala survival) and has community benefits.*
- 4. Manage protected areas to provide the best possible buffering of the City’s natural and cultural heritage values from the impacts of a changing climate.”*

Local Corridor Strategic Planning

Although strategic corridor planning is undertaken at a federal, state and regional level it is at the local level that the implementation of corridor management usually occurs. Over the past twenty years Redland City Council has developed and implemented a number of plans, strategies and mapping tools relating to wildlife habitat networks and corridors, including:

- Redland City Council Plans and Strategies:
 - Bushland and Habitat Corridor Plan 2004; and
- Mapping Tools:
 - Environmental Inventory (Chenoweth) 1996 to 2007;
 - Green Infrastructure 2009;
 - Wildlife Corridor Mapping Using Species Indicator Model 2010;
 - Natural Environment Decision System (AECOM and BAAM) 2011;
 - Redlands Trunk Green Corridors 2013; and
 - Wildlife Corridor Mapping (BAAM) 2014.

The implementation and success of these plans has been varied. Appendix 2 provides a summary and review of these Redland City Council documents and mapping products.

The most recent review of the Bushland and Habitat Corridor Plan 2004 (the precursor to this plan) revealed that of the 41 recommendations made within the 2004 plan, 17 have been implemented (or are ongoing), 15 were partially implemented and 9 were not implemented. It is noted that several of the implemented recommendations involved the development of a plan, strategy, mapping tool, research or advocacy, and that the on-ground actions derived from these may not have been realised.

Successful implementation of recommendations from the 2004 plan included:

- Surveys, reports and installation of treatments for fauna crossing points of roads in Redland City;
- Incorporation of the Environmental Inventory mapping into Redland Planning Scheme; and
- Koala habitat mapping projects.

Ecology and Principles of Wildlife Habitat Networks and Corridors

The basic ecological principles of wildlife habitat networks and corridors involve linking and improving connectivity between patches of core habitat in a fragmented landscape. Wildlife habitat networks and corridors must provide functional connectivity for flora and fauna species to move through fragmented landscapes to larger core habitat patches that contain greater resources and are more suitable for survival (Hess & Fischer 2001). A lack of connectivity in a fragmented landscape results in the isolation of flora and fauna populations, which reduces the possibility of demographic or genetic rescue (Doerr & Davies 2010).

The ability of networks and corridors to increase connectivity and provide for dispersal depends primarily on the dispersal behaviour of the species involved, as well as the characteristics of the corridors, core habitat patches and the surrounding matrix (Heinz et al. 2007). Wildlife behaviours (including home range, diet and social structure) and habitat preferences of locally relevant species should be used to determine the design and management of corridors and networks (Lindenmayer & Nix, 1993). The requirements of species most threatened by habitat fragmentation and also species acting as vectors for ecological processes (e.g. seed dispersers, pollinators, predators) are critical for successful wildlife habitat networks and corridors (Scotts & Cotsell 2014).

Wildlife habitat networks and corridors have multiple benefits, they are important for:

- Providing residential habitat for some species;
- Providing movement habitat for wide-ranging species, nomadic and migratory species, and dispersing individuals;
- Maintaining or enhancing genetic interchange between otherwise isolated animal or plant populations; and
- Facilitating the continuity of ecological processes through healthy and resilient animal and plant populations (Bennett 1998; Beier & Noss 1998; Lindenmayer & Franklin 2002; Hilty et al. 2006; Chester & Hilty 2010; Doerr et al. 2010).

The ecology and principles of wildlife habitat networks and corridors is a relatively well-studied and researched area. Appendix 3 provides a literature review on the major components of this topic. To summarise this work Table 2 describes the guiding principles for a functional wildlife habitat corridor.

Table 2 - Summary of Wildlife Habitat Networks and Corridors attributes functions and guiding principles.

<u>Core Habitat Patches</u>	
Large as Practical	To provide necessary resources and environmental conditions required for survivorship, reproduction and movement of a species core habitat patches should be as large as practical.
Circular Shape	The perimeter of core habitat patches should be minimised to reduce the impacts of edge effects (such as weed infestation, human-generated damage, microclimatic variables, and predation).
> 60m Buffer	A minimum 60m buffer of native vegetation should be provided for core habitat patches to reduce the risk of edge effects.
< 1100m Gaps	Core habitat patches should be no more than 1100m apart (even where structurally intact corridors are linking the core habitat patches).
<u>Wildlife Habitat Corridors</u>	
< 106m Gaps	To facilitate wildlife movement gaps (open areas) in habitat along wildlife habitat corridors should be no more than 106m.
> 100m Width	Wildlife habitat corridors should have a minimum width of 100m (preferably 250m to retain variety of bird species and complete suite of arboreal mammals).
> 50m Buffer	A minimum 50m buffer of native vegetation should be provided for wildlife habitat corridors to reduce the risk of edge effects.
Feathered Edge	To minimise exposure to edge effects and keep species movements within the corridor, wildlife habitat corridors should have an edge with a feathered shape.
Diverse Structure	A diversity of native flora (for example layers including grasses, small shrubs, and variety of trees) will benefit a greater number of species moving through wildlife habitat corridors.
Minimise Barriers	Minimising the number and impact of barriers (for example highways, railway lines and impermeable fences) will increase the success of wildlife habitat corridors.
Stepping Stones	Identification of critical stepping stone corridors (for example scattered street or paddock trees) will increase the success of wildlife habitat networks.

Wildlife habitat networks and corridors can operate at a variety of scales:

- National corridors operate at the continental scale, aiming to create or enhance major landscape links. The 'National Wildlife Corridors Plan: A framework for landscape-scale conservation 2012' provides the framework for Australia's national corridor network.
- Regional corridors are connections between larger areas of generally protected habitat. They provide a range of ecosystem processes and are capable of supporting viable wildlife populations within the corridors. Regional corridors are generally greater than 500m in width and typically connect along altitudinal or migratory ecological gradients such as coast to hinterland (DECC 2004). The South East Queensland Regional Plan and the South East Queensland Biodiversity Planning Assessment (State Significance Corridors) provide the framework for regional corridors in Queensland.
- Sub-regional corridors facilitate species movement and dispersal opportunities for a wide range of species, but are not wide enough to support an extensive range of viable populations. Sub-regional corridors are generally greater than 300m wide and typically link larger vegetated landscape features (DECC 2004). The South East Queensland Biodiversity Planning Assessment 2016 (Regional Significance Corridors) provides the framework for regional corridors in Queensland. The Gold Coast Bioregional Corridor Plans are an example of implementation of a sub-regional corridor planning (Conics 2009).
- Local scale corridors function as conduits for wildlife movement between patches of core habitat by providing adequate cover and refuge for the duration of the wildlife movement, but generally do not provide habitat which is able to sustain viable populations within the corridor (Bennett 2003). The wildlife habitat corridors presented within this plan are local scale.

Modelling of Redlands Wildlife Habitat Networks and Corridors

Biodiversity Assessment and Management (BAAM) ecological consultants were commissioned by Redland City Council to geographically identify a well-defined wildlife habitat network of core habitat patches and connecting corridors in Redland City. The resulting 'Wildlife Habitat Networks and Corridor Mapping – Redland City' report (BAAM 2016), used spatial modelling to generate a heat map of key terrestrial wildlife corridor values that occur between core vegetation areas throughout Redland City.

The work was based on the refinement of a previous study (BAAM 2014), which provided a contemporary approach to modelling and mapping wildlife networks and corridors in Redland City using a network modelling tool called CircuitScape. CircuitScape is a connectivity analysis software package which uses algorithms from electronic circuit theory to predict patterns of movement among plant and animal populations. Circuit theory considers the effects of all possible pathways across a landscape simultaneously. (BAAM 2016) This modelling tool was again used to develop wildlife habitat network and corridor value maps for Redland City, based upon the attribution of several key anthropogenic and ecological parameters. These parameters included:

- Remnant vegetation mapping, with edges treated separately;
- Regrowth vegetation mapping, with edges treated separately;
- Urban trees - small patches of trees or isolated clumps of vegetation;
- Open areas - very sparse canopy, infrequent artificial obstacles;
- Urban land - lots equal to, or less than 2000m² were classified as urban land; and
- Transport infrastructure - major, secondary and local roads, and the rail network.

Separate spatial layers were created for each parameter and the parameters were given a ranked score, based upon key assumptions about their relative conductivity contributions to wildlife movement. These layers were all used to inform the creation of a single raster suitable for input into the modelling software.

A separate raster of core habitat was created to identify the connectivity source points, which form a critical component of the model. The core habitat raster is based on interior areas of the remnant vegetation mapping (with a 60m edge-affected rim removed).

Each of the Redland City land areas (mainland, Coochiemudlo Island, the inhabited Southern Moreton Bay Islands and North Stradbroke Island) were modelled independently.

The model revealed a series of wildlife networks across Redland City, as shown in Figure 1. These are particularly well-defined on the mainland, but also evident on the Southern Moreton Bay Islands and, to a lesser extent, on North Stradbroke Island, which is comprehensively dominated by remnant vegetation (core habitat).

The output rasters were relativised and transformed into a single vector. The vector was then simplified into two levels of attribution (based on their medium–high “heat” scores outside of core areas) to represent two different types of wildlife corridor (as shown in Figure 2):

- **Established Corridor Values:** these are areas of particularly high ecological value that hold strong, pre-existing values in providing movement opportunities for wildlife in general; and
- **Enhancement Corridor Values:** these are areas that exhibit sufficient ecological value and linkages that would be appropriate targets for strategic enhancement to strengthen Established Corridors.

The output of networks and wildlife corridors were then critiqued using a series of overlays. These included local waterways, corridor dependent species database records, the Queensland Government Biodiversity Planning Assessment (BPA) regional and state corridors layer and a public land layer. This interrogation of the model outputs indicated that these corridors, despite being simplified versions of the model output, correspond closely with vegetated waterways, corridor dependent species records, and the independently derived BPA corridors.

This automated modelling system provided an objective connectivity map that can be used in conjunction with complimentary studies, land tenure data, key habitats, corridor-dependent species data and expert knowledge of the area to identify potential terrestrial wildlife corridors.

The mapping outputs from the CircuitScape modelling (core habitat patches, raster heat mapping outputs and Established and Enhancement Corridor layers) are used to help the visual identification of priority wildlife corridors throughout Redland City. These mapping outputs will be useful to inform planning and management of:

- Existing Council reserves
- Waterway, wetland and riparian programs
- Individual property planning
- Potential offset sites
- Conservation land acquisitions, and
- City wide land use planning

The mapping report recommends an analysis is undertaken to identify corridors for strategic protection and enhancement in future planning instruments. This recommendation has been implemented by the delineation of the priority wildlife habitat corridors, outlined in the following sections of this plan.

Limitations of Modelling Redlands Wildlife Habitat Networks and Corridors

Issue: Defining Established and Enhancement Corridor layers from heat mapping vector.

- **Reason:** Allows areas with higher connectivity value to stand out, which assist in prioritising decision making.
- **Limitation:** Areas of habitat that did not meet the cut-off for Established and Enhancement Corridors may still be important for the linkage of key core habitat areas.
- **Options to address:** Secondary rehabilitation of areas between enhancement corridors may result in additional areas being included in Established and/or Enhancement Corridor layers in the future.

Issue: Focus on terrestrial corridors.

- **Reason:** The BAAM report and modelling exercise is limited to the recognition of terrestrial wildlife corridors.
- **Limitation:** The modelling does not address non-terrestrial fauna movement, such as the movement of migratory shorebirds between intertidal areas.
- **Options to address:** The scope of the Wildlife Connections Plan is terrestrial fauna movement, in line with the current priority of Council. A change in scope, or separate plan would be required to address non-terrestrial fauna movement.

Issue: The formation of the model's core habitat layer did not include areas of regrowth vegetation.

- **Reason:** All areas of regrowth vegetation were excluded from the core habitat layer, as regrowth vegetation was not deemed to have sufficient habitat values to be considered as core habitat.
- **Limitation:** Some areas of high-quality regrowth vegetation with important habitat features were excluded from the core habitat layer. These areas of habitat may still include features of core habitat and they may still support a diversity of wildlife.
- **Options to address:** Include regrowth vegetation in core habitat layer in future runs of the model.

Issue: Removal of 60m edge-affected rim from core habitat.

- **Reason:** A minimum 60m buffer of native vegetation should be provided for core habitat patches to reduce the risk of edge effects. The core habitat is based on interior areas of the remnant vegetation mapping (with a 60m edge-affected rim).
- **Limitation:** Certain areas of recognised habitat value were excluded from the core layer in the model by applying and removing the 60m wide edge-affected rim. This does not necessarily suggest these areas are not ecologically important, and it should be recognised they may still support a diversity of wildlife.
- **Options to address:** Width of buffer could be adjusted in future runs of the model, in accordance with changes to contemporary knowledge and practice.

Issue: Habitat features beyond the Redland City boundary were excluded in the modelling. This could potentially influence wildlife network and corridor values within Redland City.

- **Reason:** The western edge of the city is largely bounded by remnant bushland areas with contiguous core habitat areas extending within and along the boundary itself (such as Tingalpa Creek Conservation Park, Daisy Hill Conservation Park, Venman Bushland National Park, Cornubia Nature Refuge and the Bayview, Days Road, Kidd Street and Serpentine Creek Conservation Areas).
- **Outcome:** The inclusion of areas outside of Redland City in the modelling process was considered likely to have little influence on the identification of wildlife network and corridor values within Redland City.
- **Options to address:** The scope of the Wildlife Connections Plan is terrestrial fauna movement throughout Redland City, in line with the current priority of Council. A change in scope, or separate plan would be required to address fauna movement across local government boundaries with neighbouring local governments.




Figure 1 - Raster heat map output from CircuitScape modelling.


Figure: 5.2a
 Redland City Council Wildlife Corridor
 Mapping (Mainland)

Project: Redland City Wildlife Habitat
 Networks & Corridor Mapping

Client: Redland City Council

Legend

- Established Corridor
- Enhancement Corridor



Scale: 1:111,000 at A4
 Date: 13 Dec 19
 Drawn By: MGS
 Reviewed By: PL

BAAM
 ECOLOGICAL CONSULTANTS

Figure 2 - Core Habitat, Established and Enhancement Corridors from CircuitScape Modelling

Developing the Redlands Wildlife Habitat Networks and Corridors

The CircuitScape modelling outputs have been used to develop the high priority corridors outlined in the proceeding sections of this plan. A series of workshops and working groups utilised expert local knowledge of habitat, wildlife, land use, connectivity and the CircuitScape modelling outputs to develop the wildlife habitat networks and corridors. The principles and data sets used to develop these priority networks and corridors were:

- The Core Habitat identified by the wildlife habitat networks and corridors modelling formed the 'core hubs' that the corridors aim to connect;
- The modelling was the primary source used to delineate the Established Corridors and the Enhancement Corridors;
- Where possible, multiple corridors were provided as alternative links between Core Habitat patches to account for potential disturbance events (such as fire, storms, flooding, disease and impacts from development); and
- Council owned and managed land was favoured to form the trunk centre line of corridors.

Whilst this plan only represents the corridors identified as containing a high level of corridor value, it is imperative to understand that many of the areas not identified will still play a vital role in providing habitat and movement opportunities for many species of wildlife.

The corridors have been assigned target widths and buffers, based on wildlife corridor ecology literature and principles (refer to Appendix 3). Based on these targets, the corridors have been presented as defined 'strips' through the landscape. However, it must be recognised that corridors should not always be viewed as clear pathways. For many wildlife species, movement is diffused through the landscape, and they may not adhere to bushland corridors.

Wildlife Habitat Networks and Corridors

Five categories of wildlife habitat corridors have been defined in this plan (Table 3).

The corridors are assigned names to engender local community recognition, acceptance and ownership. The naming reflects the corridor's local geographic location (Figure 3 and 4).

Core Habitat: The patches of Core Habitat (based on interior areas of remnant vegetation) form the 'core hubs' that the corridors aim to connect. The areas of Core Habitat are all of very high ecological value and a very high priority for protection and rehabilitation.

Table 3 - Definition of Wildlife Habitat Corridor Types

Corridor Type	Definition	Ecological Value	Priority for Rehabilitation
Established	Corridors of particularly high ecological value that hold strong, pre-existing values in providing movement opportunities for wildlife in general.	Highest Ecological Value	Highest Priority for Rehabilitation
Regional Riparian	Particularly significant riparian corridors for biodiversity that form a major element of habitat continuity, as identified in the Biodiversity Planning Assessment (BPA) for the Southeast Queensland Bioregion (EHP 2016).	Highest Ecological Value	Highest Priority for Rehabilitation
Coastal Foreshore	Coastal fringe corridor of the Redland City mainland, Southern Moreton Bay Islands, Coochiemudlo Island and the township areas of North Stradbroke Island. May contain Established, Enhancement or Stepping Stone values.	High Ecological Value	High Priority for Rehabilitation
Enhancement	Corridors that exhibit sufficient ecological value and linkages that would be appropriate targets for strategic enhancement to strengthen Established Corridors.	Medium Ecological Value	Medium Priority for Rehabilitation
Stepping Stone	Corridors of isolated patches of habitat that, while not physically connected, are functionally connected, allowing movement between larger patches.	Less Ecological Value	Lower Priority for Rehabilitation

For each of the wildlife habitat corridors, the values, connectivity, threats and priority management outcomes have been identified to increase the understanding of these priority corridors.

The following specific attributes are assigned to each of the priority corridors:

- Description
 - Location, orientation and linkages to Core Habitat patches.
- Environmental Values
 - Dominant vegetation types and keystone wildlife values.
- Core Habitat Linkages
 - Number of Core Habitat patches linked by corridor; and
 - Maximum distances between Core Habitat patches
- Land Uses
 - Tenure and planning scheme zonings.
- Community Uses
 - Values and potential uses.
- Threats and Barriers
 - Edge effects from urban, peri-urban and rural land use;
 - Road and rail infrastructure; and
 - Development potential within the planning scheme.
- Gaps and Pinch Points
 - Significant gaps (greater than 106m) of open or developed areas along the corridor; and
 - Narrow points of corridor (where width is less than 100m).
- Priority Outcomes
 - Mitigation of current threats and barriers; and
 - Rehabilitation of gaps and pinch points (focusing on where maximum distances between Core Habitat patches is more than 1100m apart)

The above attributes for each corridor are presented in the associated document 'Corridor Descriptions and Locations' (Appendix 4-8). Within this document all corridors display the mapped vegetation within the corridor as a solid colour (with the colour dependent on the corridor type). The areas within the corridor that do not contain mapped vegetation are presented with a transparent colouring. This presentation allows clear distinction between the higher ecological function sections of a corridor (i.e. mapped vegetation represented as solid colours) and other buffer areas of human uses (residential areas, roads etc.) or potential gaps or pinch points for rehabilitation. Please note that while every effort has been made to use the most up to date aerial imagery in the maps presented, not all images may be current.




Figure 3 - Wildlife Habitat Network and Corridors in Redland City




Figure 4 - Wildlife Habitat Network and Corridors – Detailed Example

Established Corridors

The Established Corridors are local scale corridors, and have been defined and mapped within the Redland City local government area. The Established Corridors are areas of particularly high ecological value that hold strong, pre-existing values in providing movement opportunities for wildlife.

To retain a variety of bird species and complete suite of arboreal mammals, the Established Corridors are defined as having a width of 100m, with a minimum 50m buffer of native vegetation (on each side) to reduce the risk of edge effects, resulting in a 200m wide corridor.

The Established Corridors are the highest priority for protection and rehabilitation, as they represent the best value in terms of financial and ecological benefits. The priority outcomes outlined in Appendix 4 should be implemented in the Established Corridors first.

A total of 24 Established Corridors have been identified in Redland City (Figure 5). Appendix 4 provides the full details (name; map; description; environmental values; core habitat linkages; land uses; community uses; threats and barriers; gaps and pinch points; and priority outcomes) for each of these corridors.

Table 4 provides a summary of the attributes of the Established Corridors.

Table 4 - Summary of the values and threats for the Established Corridors

Attributes	Amount	Percentage of Total Corridor
Total number of Established Corridors	24	
Total area of all Established Corridors (200m wide)	1775 ha	
Total area of mapped vegetation (Regional Ecosystem) within all Established Corridors	1320 ha	74%
Total area of open area, urban area, road and rail within all Established Corridors	455 ha	26%
Total area of Council owned land within all Established Corridors	589 ha	33%

Regional Riparian Corridors

The Regional Corridors are identified in the Biodiversity Planning Assessment (BPA) for the Southeast Queensland Bioregion (EHP 2016). The riparian corridors from the BPA are included within this plan as they represent local scale corridors. The terrestrial BPA corridors are not included as they represent state and regional scale planning, beyond the scope of this plan.

The Regional Riparian Corridors are equal priority to the Established Corridors for protection and rehabilitation, as they represent the best value in terms of financial and ecological benefits. The BPA has assigned the regional riparian corridors a target width of 400m. The priority outcomes outlined in Appendix 5 should be implemented in the Established and Regional Riparian Corridors first.

A total of two Regional Riparian Corridors are located in Redland City (as shown in Figure 6). Appendix 5 provides the full details (name; map; description; environmental values; core habitat linkages; land uses; community uses; threats and barriers; gaps and pinch points; and priority outcomes) for each of these corridors.

Table 5 provides a summary of the attributes of the Regional Riparian Corridors.

Table 5 - Summary of the values and threats for the Regional Riparian Corridors.

Attributes	Amount	Percentage of Total Corridor
Total number of Regional Riparian Corridors	2	
Total area of all Regional Riparian Corridors (400m wide – within Redland City)	1065 ha	
Total area of mapped vegetation (Regional Ecosystem) within all Regional Riparian Corridors (in Redland City)	600 ha	56%
Total area of water reservoir, open area, urban area, road and rail within all Regional Riparian Corridors	465 ha	44%
Total area of Council owned land within all Regional Riparian Corridors	167 ha	16%




Figure 6 - Regional Riparian Wildlife Habitat Corridors

Coastal Foreshore Corridors

The Redlands Coastal Foreshore Corridors are local scale corridors, and have been defined and mapped within the Redland City local government area. The coastal foreshore corridors make up the coastal fringe of the Redland City mainland, Southern Moreton Bay Islands, Coochiemudlo Island and the township areas of North Stradbroke Island. Although these corridors may exhibit characteristics of Established, Enhancement or Stepping Stone Corridors, they have been grouped together as they have similar values, threats and management actions.

The Coastal Foreshore Corridors are a high priority for protection and rehabilitation, as they represent the value in terms of financial and ecological benefits. The priority outcomes for the Coastal Foreshore Corridors outlined in Appendix 6 should occur, following the implementation of actions in the Established and Regional Riparian Corridors.

The Coastal Foreshore Corridors predominately comprise of tidal flats, mangrove, saltpan, saltmarsh and casuarina habitats and may incorporate other fringing woodland vegetation (on coast dunes or alluvial land). These coastal foreshore corridors are crucial habitat for wader birds, intertidal marine vertebrates and invertebrates, and specialist species such as the Water Mouse.

To retain a variety of species the Coastal Foreshore Corridors are defined as having a width of 100m, with minimum 50m buffer (on each side) to reduce the risk of edge effects, resulting in a 200m wide corridor.

A total of 14 Coastal Foreshore Corridors have been identified in Redland City (as shown in Figure 7). Appendix 6 provides the full details (name; map; description; environmental values; core habitat linkages; land uses; community uses; threats and barriers; gaps and pinch points; and priority outcomes) for each of these corridors.

Table 6 provides a summary of the attributes of the Coastal Habitat Corridors.

Table 6 - Summary of the values and threats for the Coastal Foreshore Corridors

Attributes	Amount	Percentage of Total Corridor
Total number of Coastal Foreshore Corridors	14	
Total area of all Coastal Foreshore Corridors (200m wide)	2407 ha	
Total area of mapped vegetation (Regional Ecosystem) within all Coastal Foreshore Corridors (Please Note: does not include inter-tidal open areas)	908 ha	38%
Total area of marine zone, open area, urban area, road and rail within all Coastal Foreshore Corridors	1499 ha	62%
Total area of Council owned land within all Coastal Foreshore Corridors	295 ha	12%




Figure 7 - Coastal Foreshore Wildlife Habitat Corridors

Enhancement Corridors

The Enhancement Corridors are local scale corridors, and have been defined and mapped within the Redland City local government area. The Enhancement Corridors are areas that exhibit sufficient ecological value and linkages that would be appropriate targets for strategic enhancement to strengthen Established Corridors.

The Enhancement Corridors are the second highest priority for protection and rehabilitation. The priority outcomes outlined in Appendix 7 should occur, following the implementation of actions in the Established, Regional Riparian Corridors and Coastal foreshore.

To retain a variety of bird species and complete suite of arboreal mammals, the Enhancement Corridors are defined as having a width of 100m.

Enhancement Corridors in Known Development Areas Corridors is a subgroup of Enhancement Corridors that are recognised as part of an identified development area under a planning instrument or existing approval (refer to Appendix 7a – Enhancement Corridors in Known Development Areas Corridors). These areas include Kinross Road Thornlands, South East Thornlands, Shoreline Redland Bay and the Bunker Road Victoria Point emerging community area. Additional 'property scale' corridors may be identified in these (and future) identified development areas, and established as different parts of the City are developed or as land uses change. It should be noted that it is not the role of the Wildlife Connection Plan to identify 'property scale' corridors.

A total of 44 Enhancement Corridors have been identified in Redland City (Figure 8). Appendix 7 and 7a provide the full details (name; map; description; environmental values; core habitat linkages; land uses; community uses; threats and barriers; gaps and pinch points; and priority outcomes) for each of these corridors.

Table 7 provides a summary of the attributes of the Enhancement Corridors.

Table 7 - Summary of the values and threats for the Enhancement Corridors

Attributes	Amount	Percentage of Total Corridor
Total number of Enhancement Corridors	44	
Total area of all Enhancement Corridors (100m wide)	1207 ha	
Total area of mapped vegetation (Regional Ecosystem) within all Enhancement Corridors	830 ha	69%
Total area of open area, urban area, road and rail within all Enhancement Corridors	377 ha	31%
Total area of Council owned land within all Enhancement Corridors	280 ha	23%




Figure 8 - Enhancement Corridors

Stepping Stone Corridors

The Stepping Stone Corridors are local scale corridors, and have been defined and mapped within the Redland City local government area. The Established and Enhancement Corridors represent predominately continuous and diversely structured habitat, and are generally the most appropriate for facilitating wildlife movement. However it is recognised that Stepping Stone Corridors (such as scattered trees) can be equally effective for certain species while dispersing or migrating. (Forman 1995 & Bennett 2003)

Stepping stones can be defined as isolated patches of habitat that, while not physically connected, are functionally connected, allowing movement between larger patches (National Wildlife Corridors Plan 2012). Stepping Stones of suitable habitat enhance connectivity in developed landscapes for species able to make short movements through disturbed environments. Stepping Stones may be natural patches, such as wetlands or patches of rainforest within drier forests or they may be small remnant patches of vegetation in a developed landscape. Scattered trees or patches of habitat are the most recognised form of Stepping Stones and are important to native fauna for movement, shelter, foraging habitat and nesting resources, especially in urban areas.

The Stepping Stone Corridors are a lower priority for protection and rehabilitation. The priority outcomes outlined in Appendix 8 should occur, following the implementation of actions in the Established, Regional Riparian, Coastal Foreshore and Enhancement Corridors.

To retain a variety of bird species and arboreal mammals, the outline of Stepping Stone Corridors are defined as having a width of 100m. However, by their nature, the Stepping Stone Corridors consist of patches of vegetation and not a continuous vegetated corridor.

A total of 62 Stepping Stone Corridors have been identified in Redland City (Figure 9). Appendix 8 provides the full details (name; map; description; environmental values; core habitat linkages; land uses; community uses; threats and barriers; gaps and pinch points; and priority outcomes) for each of these corridors.

Table 8 provides a summary of the attributes of the Stepping Stone Corridors.

Table 8 - Summary of the values and threats for the Stepping Stone Corridors

Attributes	Amount	Percentage of Total Corridor
Total number of Stepping Stone Corridors	62	
Total area of all Stepping Stone Corridors (100m wide)	1332 ha	
Total area of mapped vegetation (Regional Ecosystem) within all Stepping Stone Corridors	622 ha	47%
Total area of open area, urban area, road and rail within all Stepping Stone Corridors	710 ha	53%
Total area of Council owned land within all Stepping Stone Corridors	377 ha	28%




Figure 9 - Stepping Stone Corridors

Priority Outcomes for Wildlife Habitat Network and Corridors

Within associated document 'Corridor Descriptions and Locations (Appendices 4, 5, 6, 7 and 8), the priority outcomes are listed for each individual Established, Enhancement, Regional Riparian, Coastal Foreshore, and Stepping Stone Corridors. These priority outcomes aim to address the threats, barriers, gaps and pinch points for each, which are also listed for each corridor within Appendices 4, 5, 6, 7 and 8. Location descriptions are provided for each of the priority outcomes that recommend rehabilitation of gaps and pinch points. A summary of the types and number of priority outcomes for each corridor classification is provided in Table 9.

Table 9 - Summary of priority outcomes by corridor type

Priority for Rehabilitation	Corridor Type	Number of Corridors	Priority Outcomes	Number of Priority Sites
1	Established	24	Improve Corridor Habitat	28
			• Rehabilitation of gaps and pinch points	
			Prevent Wildlife Deaths	34
			• Safe fauna passage across road (or rail) barriers	
			Protect Corridor Habitat	0
1	Regional Riparian	2	• Provide input into planning scheme	
			Reduce Impacts on Corridors	
			• Manage impacts of urban and/or peri-urban and/or rural areas	24
			Improve Corridor Habitat	3
			• Rehabilitation of gaps and pinch points	
1	Regional Riparian	2	Prevent Wildlife Deaths	6
			• Safe fauna passage across road (or rail) barriers	
			Protect Corridor Habitat	0
			• Provide input into planning scheme	
			Reduce Impacts on Corridors	
2	Coastal Foreshore	14	• Manage impacts of urban and/or peri-urban and/or rural areas	2
			Improve Corridor Habitat	31
			• Rehabilitation of gaps and pinch points	
			Prevent Wildlife Deaths	0
			• Safe fauna passage across road (or rail) barriers	
2	Coastal Foreshore	14	Protect Corridor Habitat	1
			• Provide input into planning scheme	
			Reduce Impacts on Corridors	14
			• Manage impacts of urban and/or peri-urban and/or rural areas	
			• Management of impacts from storm tide and sea level rise impacts	14
3	Enhancement	44	Improve Corridor Habitat	95
			• Rehabilitation of gaps and pinch points	
			Prevent Wildlife Deaths	59
			• Safe fauna passage across road (or rail) barriers	
			Protect Corridor Habitat	12
3	Enhancement	44	• Provide input into planning scheme	
			Reduce Impacts on Corridors	44
			• Manage impacts of urban and/or peri-urban and/or rural areas	
			Improve Corridor Habitat	118
			• Rehabilitation of gaps and pinch points	
4	Stepping Stone	62	Prevent Wildlife Deaths	55
			• Safe fauna passage across road (or rail) barriers	
			Protect Corridor Habitat	
			• Provide input into planning scheme	2

Protecting and rehabilitating the highest value corridors will result in the best cost efficiency and often provides the greatest ecological benefit.

The Established Corridors and the Regional Riparian Corridors are equally the highest priority corridors, as they represent the most intact, connected and high ecological value corridors. The cost to protect and rehabilitate will provide the most ecological benefits for any investment.

The Coastal Foreshore are the second highest value ecological corridors, however may require significant investment for protection and rehabilitation, and consequently are lower priority for rehabilitation than the Established and Regional Riparian Corridors. The Enhancement Corridors are the third highest priority for protection and rehabilitation, as they will require a greater level of investment in protection and rehabilitation to achieve a high level of ecological benefit.

The Stepping Stone Corridors would require the greatest level of investment in protection and rehabilitation, and are therefore a lower priority.

It is important to note that the recommended priority actions for each corridor are developed based on a desktop assessment, utilising all available mapping resources, such as aerial imagery, vegetation mapping and the model outputs. The first step of implementation of any action is verifying the suitability of the recommendations on ground.

The priority outcomes listed for the management of impacts from urban, peri-urban and rural areas are somewhat general descriptions, and further work (including ground-truthing) is required to allow effective implementation of these actions.

Action Plan

The Wildlife Connections Action Plan lists the work areas within Council with responsibility for each action; implementation methods; implementation partners; performance measures; timeframe; and indication of cost of implementation.

The implementation of the priority outcomes within associated document 'Corridor Descriptions and Locations (Appendices 4, 5, 6, 7 and 8) can be achieved through a variety of methods based on tenure and location; and will be the responsibility of several areas within Council.

Implementation of the Action Plan will be undertaken with the following prioritisation considerations:

1. All areas of Core Habitat are a high priority for protection and rehabilitation. All actions within the Action Plan can be implemented in the identified Core Habitat areas;
2. The Established, Regional Riparian Corridors and Coastal Foreshore are the highest priority for protection and rehabilitation;
3. The Enhancement Corridors are the second highest priority for protection and rehabilitation;
4. The Stepping Stone Corridors are a lower priority for protection and rehabilitation;
5. All corridor rehabilitation and enhancement of buffer areas should follow South East Queensland (SEQ) Ecological Restoration Framework (SEQ Catchments, 2012); and
6. All corridor rehabilitation and enhancement of buffer areas must take into account fire management planning

Monitoring of Action Plan Implementation

The implementation of the actions in the plan will be reviewed annually. The review will assess the success of each action based on the 'Performance Measures' listed in the Wildlife Connections Action Plan. Information from each of the Council areas and external partners will be collated for the annual review.

If available, updated mapping (such as new Regional Ecosystem mapping or planning scheme zones) and other environmental data sets will be used to monitor changes to the values, attributes and threats of the wildlife habitat network and corridors.

Funding of the priority actions is critical to the success and performance of this plan. Delivery of the action plan will be funded through a combination of business as usual, general revenue, environment separate charge, reserve funds and resources obtained through external funding sources.

References

- Australian Government Department of Sustainability, Environment, Water, Population and Communities (2012). National Wildlife Corridors Plan: A framework for landscape-scale conservation 2012.
- Biodiversity Assessment and Management (BAAM) (2014). Wildlife Corridor Mapping for Redland City Mainland Areas. Report prepared for Redland City Council.
- Biodiversity Assessment and Management (BAAM) (2016). Wildlife Habitat Networks and Corridor Mapping – Redland City. Report prepared for Redland City Council.
- Bennett AF (2003). Linkages in the Landscape: The Role of Corridors and Connectivity in Wildlife Corridor Conservation. IUCN Forest Conservation Programme Conserving Forest Ecosystems Series No.1. Gland, Switzerland and Cambridge, UK.
- Brearley G (2011). Ecological and physiological responses of arboreal mammals to urban habitat edges: A squirrel glider case study. Brisbane: The University of Queensland.
- Chenoweth EPLA and Bushland Restoration Services (2012). South East Queensland Ecological Restoration Framework: Guideline. Prepared on behalf of SEQ Catchments and South East Queensland Local Governments, Brisbane.
- Conics (2009). Burleigh to Springbrook Bioregional Corridor Study for Gold Coast City Council. Conics, Fortitude Valley, Queensland.
- Department of Environment and Conservation (2004) Wildlife Corridors. Natural Resources and Minerals Advisory Series: Note 14, DECC, NSW.
- Department of Environment and Heritage Protection (2016). A Biodiversity Planning Assessment Southeast Queensland Bioregion v4.1. Landscape Expert Panel Report: Department of Environment and Heritage Protection, Queensland Government.
- Department of Environment and Heritage Protection (2015). Corridor Identification through Biodiversity Planning Assessments. Department of Environment and Heritage Protection, Queensland Government.
- Forman R (1995). Land mosaics: The ecology of landscapes and regions. Cambridge: University of Cambridge.
- Gleeson J & Gleeson D (2012). Reducing the Impacts of Development on Wildlife. CSIRO Publishing, Collingwood, Australia.
- Heinz SK, Wissel C, Conradt L & Frank K: Integrating individual movement behaviour into dispersal functions. Theoretical Biology 2007, 245: 601–609. 10.1016/j.jtbi.2006.12.009
- Ndubisi F, DeMeo T & Ditto ND (1995). Environmentally sensitive areas: a template for developing greenway corridors. Landscape and Urban Planning, 33(1-3), pp. 159-177.
- Selles A, O'Hare M, & Veage L (2008). Successful Integration of Fauna Protection into Road Design in Brisbane. pp. 65-70.

Scotts, D, & Cotsell, N (2014). Landscape Corridors of the Coffs Harbour Local Government Area. Coffs Harbour City Council, Coffs Harbour, New South Wales, Australia. Unpublished draft report.

Doerr, E.D. & Davies, M.J. (2010). Does structural connectivity facilitate movement of native species in Australia's fragmented landscapes? A systematic review protocol. Environmental Evidence The official journal of the Collaboration for Environmental Evidence

Appendix 1 - Summary and review of Federal, State and Regional Corridor Plans and Strategies

National Wildlife Corridors Plan 2012

The *National Wildlife Corridors Plan* is an Australian Government document that highlights the need for habitat connectivity throughout the country (Department of Sustainability, Environment, Water, Population and Communities, 2012). The purpose of the national plan is to enable and coordinate efforts of landscape connectivity from all parties throughout Australia (Department of Sustainability, Environment, Water, Population and Communities, 2012). It is important that Australia's cities, rural areas, reserves, and national parks are connected to ensure movement through the landscape. The document consists of a five-point plan of action to be implemented gradually, and includes:

1. "Developing and supporting corridor initiatives
2. Establishing and ensuring institutional arrangements
3. Promoting strategic investment in corridors
4. Working with key stakeholders and supporting regional natural resource management planning
5. Monitoring, evaluating, and reporting"

(Department of Sustainability, Environment, Water, Population and Communities, 2012)

In order to be successful, the plan must incorporate a collaborative approach in the planning, management, and reporting of wildlife corridors. The government can plan corridors at a national, regional, or local scale, but they will not be successful without the cooperation of the community (Landcare Australia, 2011). The plan highlights that private land holders, community groups, NRM groups, Landcare, state agencies, and local government all have a role to play in managing and maintaining wildlife corridors.

The document examines why wildlife corridors need to be implemented, and provides limited information on how or what to implement. A number of existing national and state corridor initiatives are referenced including "the Gondwana Link, the Great Eastern Ranges Initiative, Habitat 141, NatureLinks, Trans-Australia Eco-Link, and the Tasmanian Midlandscapes" (Department of Sustainability, Environment, Water, Population and Communities, 2012). The Plan also promises to support and encourage regional and local corridor initiatives, which has had little success in implementation.

Corridor identification through the Biodiversity Planning Assessments 2015

This document was released by the Queensland Government in 2015, and highlights the key riparian and terrestrial corridors throughout the state. A number of specific state, and regional corridors are cited, accompanied with maps on different bioregions. The south east Queensland region consists of 48 state and regional terrestrial corridors that connect land to other regional areas (EHP 2015). Corridors were selected based on a number of factors, including the quality of existing habitat, location of existing regional corridors, altitudinal/geological/climatic gradients, ability to connect large tracts of habitat, and location of watershed, catchment, and coastal boundaries (EHP 2015). A map showing Queensland's State terrestrial corridors is seen in Figure 10 below.




Figure 10 - Map of Queensland showing state-wide conservation corridors (Howell, et al., 2015)

Shaping SEQ - South East Queensland Regional Plan (Department of Infrastructure, Local Government and Planning, 2016)

ShapingSEQ is the Queensland Government's plan to guide the future of the South East Queensland (SEQ) region, prepared in collaboration with the region's 12 local governments. It aims to accommodate future growth sustainably and in a way that responds to change positively, and enhances the social, economic and environmental systems that support the region's liveability. For the purposes of the *Sustainable Planning Act 2009*, ShapingSEQ is the statutory regional plan for the SEQ region.

ShapingSEQ differs from previous regional plans in several new headline initiatives and key new functions including "Identifying and mapping regional biodiversity corridors and values to support the protection of these values."

Community consultation for ShapingSEQ revealed residents want to protect SEQ's natural environment, including: establishing wildlife corridors to allow safe passage and protection for the region's fauna. ShapingSEQ recognises fragmentation and degradation of natural corridors and habitats, has resulted in significant species decline.

Within ShapingSEQ, Goal 4: Sustain, Element 2: Biodiversity states “The regional biodiversity network is protected and enhanced to support the natural environment and contribute to a sustainable region.” The strategies proposed to achieve this are:

1. Protect regional biodiversity values (including koala habitat), and ecological processes that support them, from inappropriate development;
2. Focus coordinated planning, management and investment, including offset delivery, in regional biodiversity corridors;
3. Avoid fragmentation of regional biodiversity corridors; and
4. Maintain and enhance the value of biodiversity corridors to optimise biodiversity conservation outcomes.

The regional biodiversity corridors aim to connect or improve connectivity through targeted rehabilitation of natural assets, including between existing areas of Matters of State Environmental Significance (MSES) or regional biodiversity values. These corridors are to be investigated and refined by local government for consideration as Matters of Local Environmental Significance (MLES) where MSES do not already exist.

Biodiversity Planning Assessment - Southeast Queensland Bioregion, Queensland Environmental Protection Agency, 2007

A Biodiversity Planning Assessment (BPA) identifies the terrestrial ecological values in a region, or bioregion, according to their conservation significance. BPAs are used by governments, members of the community and landholders to make planning decisions about appropriate land use.

The SEQ Bioregion shares its western boundary with the Brigalow Belt Bioregion, and extends from the New South Wales border, north to the dry coastal corridor between Gladstone and Rockhampton that forms part of the Brigalow Belt Bioregion.

The SEQ BPA relied on a Biodiversity Assessment and Mapping Methodology (BAMM, Version 2.2) to provide a consistent approach for assessing biodiversity values at the landscape scale in Queensland using vegetation mapping data generated or approved by the Queensland Herbarium as a fundamental basis. The SEQ BPA also identifies and maps landscape scale corridors at a state-wide level for most of the state. The network is being expanded as BPAs are completed for each bioregion. Their broad purpose is to provide for ecological and evolutionary processes at a landscape scale by:

- maintaining long term evolutionary/genetic processes that allow the natural change in distributions of species and connectivity between populations over long periods of time;
- maintaining landscape/ecosystems processes associated with geological, altitudinal and climatic gradients, to allow for ecological responses to climate change;
- maintaining seasonal migrations and movement of fauna;
- maximising connectivity between large tracts/patches of remnant vegetation; and
- identifying key areas for rehabilitation and offsets.

The corridors have been selected to reflect:

- major watershed and catchment boundaries;
- intact river systems;
- major altitudinal/geological/climatic gradients;
- connectivity between remnant vegetation in good condition;
- linkages between bioregions; and
- linkages between permanent waterholes.

The methods used to identify bioregional terrestrial and riparian corridors, and gaps and critical weaknesses in terrestrial corridors, are outlined in Corridor Identification through Biodiversity Planning Assessments (EHP 2015). Corridors that form part of the state-wide network are assigned State significance. Other corridors providing connectivity at a sub-regional scale are assigned Regional significance.

The landscape expert panel workshops reviewed the existing network of corridors from version 3.5 of the BPA, making amendments and adding new corridors. The panel also discussed whether the definitions of corridors need to be modified in a highly fragmented bioregion like SEQ.

Appendix 2 – Summary and review of Existing Corridor Strategies and Actions for Redland City Council

A review and summary of the status of the strategies, plans, actions and mapping for corridors planning produced for Redland City Council is provided below.

Bushland and Habitat Corridor Plan - 2004

This document was adopted by Council in August 2004 and sets out a series of principles for protecting, managing and enhancing wildlife habitat and corridors in Redland City. This plan also outlines existing 'tools' for conserving habitat and makes recommendations for future directions. The Environmental Inventory Mapping (Stage 4) forms the basis of this plan.

The first part of the Plan describes objectives and principles. The objectives of the plan are to:

- identify and protect all core habitat areas in the Shire;
- manage and enhance corridors for wildlife movement;
- identify, protect, manage and enhance species and areas of special interest; and
- manage and enhance all core habitat areas and the balance habitat areas of the Shire.

The second part of the Plan describes the threats to habitat, seven primary and ten secondary tools and recommended actions. The threats include: development allowed under the planning scheme; existing and future roads; indiscriminate clearing; bushfires; and pest plants and pest animals.

The Primary Tools listed are: The Redland Environmental Inventory; State Planning Policy 1 / 97 – Conservation of koalas in the Koala Coast (subsequently superseded by SPP 1/05); Redland Shire Planning Scheme and the draft Redland Planning Scheme; Local Law No.6 – Protection of Vegetation; Environment Charge; Voluntary Conservation Agreement program; and Research.

The Secondary Tools are: Land for Wildlife Program; Transferable development rights; Conservation tax incentives; Rural Support program; Statutory Covenants on property title; Easements for management purposes; Voluntary land exchange; Councillor advocacy; Bushcare program; and Alternative forms of residential development.

41 specific recommendations are provided to meet the principles and concepts of the Plan and the associated 7 primary and 10 Secondary Tools. A recent review of the 41 recommendations found that 17 were implemented (or ongoing), 15 were partially implemented and 9 were not implemented. Successful implementation of recommendations from the plan included:

- Surveys, reports and installation of treatments for fauna crossing points of roads in Redland City;
- The incorporation of the Environmental Inventory mapping in the Redland Planning Scheme; and
- Koala habitat mapping projects.

It is noted that several of the implemented recommendations involved the development of a plan, strategy, mapping tool, research or advocacy, and the on-ground actions derived from these may not have been realised.

Environmental Inventory - 1996 to 2007

The Redland Shire Environmental Inventory is a spatial tool used to understand environmental priorities. The Environmental Inventory uses a Geographic Information System (GIS) database of mapped Conservation Management Areas (CMAs) and additional polygons selected as potential corridor links and environmental enhancement areas. The CMAs are prioritised according to four categories (Priority, Major, General and Enhancement) and are also assigned functional roles (Habitat, Corridor, Tidal, Patch etc) as part of a city-wide conservation network for retaining biodiversity, based on the principles of conservation biology.

This method was developed in 1996 by Chenoweth, prior to the availability of State Government mapping of Regional Ecosystems. The 2007 project review updated the boundaries of mapped CMAs and incorporated the State Government Regional Ecosystem and biodiversity mapping data (EPA) to review categories. The CMA system has proven to be an adaptable basis for land use planning and management. In 2011, version 4.3 of the Environmental Inventory was created by updating ground-truthed data and inputting additional survey data. The Environmental Inventory V4.3 was used as one of the primary inputs to NEDS.

Green Infrastructure - 2009

The Green Infrastructure Mapping (GIM) project was a geographic information system (GIS) based initiative that;

1. developed understanding of the relationship between remaining habitat across the city;
2. facilitated analysis of emerging issues and their impacts on the biodiversity of the Redlands; and
3. directed and prioritises the resources of the community, Redland City Council, the State and other stakeholders.

The GIM project aimed to improve Council officers understanding of the connectivity between remaining habitats, streamline service delivery and generate cost savings. The GIM project was a requirement of the Biodiversity Strategy 2008-2012 and the Redlands Koala Policy & Implementation Strategy 2008.

The GIM project was based on GIS layers for: Redland City Council Land; Environmental Inventory 4 (EI4); Road treatments; Interim State Koala areas; Extension Program participants; Urban Tree project and the Culvert Study.

The end product of the GIM was the identification of principal patches of habitat and priority corridors.

Wildlife Corridor Mapping Using Species Indicator Model - 2010

This internal Council report outlines the use of an Indicator Species Model (ISM) to identify critical wildlife corridors for seven indicator species throughout Redland City's mainland. The ISM utilises Geographic Information Systems (GIS) to determine the optimal locations for new corridors to link currently unconnected patches of vegetation.

The report uses Habitat Suitability Models, Patch Habitat Model, Corridor Modelling and Critical Corridor Analysis. The corridor maps produced illustrate the movement preferences of different

species between patches of habitat. These maps improve the ability of managers to identify the most favourable locations for corridor restoration or impact mitigation. By comparing corridors with the overlays of other planning intentions such as proposed development, managers can foresee and proactively contend with possible conflicts.

The seven key indicator species being utilized to assess the viability of the City's green infrastructure were:

- Koala *Phascolarctos cinereus*;
- Squirrel Glider *Petaurus norfolcensis*;
- Swamp Wallaby *Wallabia bicolor*;
- Northern Brown Bandicoot *Isodon macrourus*;
- Large Footed Myotis *Myotis macropus*;
- Striated Pardalote *Pardalotus striatus*; and
- Tusked Frog *Adelotus brevis*.

The report recommends implementation of the modelling by:

1. Applying Indicator Species Model to property/area in question to identify 'critical corridor' or 'species corridor' locations;
2. Performing field survey to ground-truth GIS analysis of area;
3. Determining extent of restoration and other enhancement actions required on site; and
4. Select the relevant program or plans most suitable to implement on site (including acquisitions, offsets, environmental education, Habitat Protection Programs and Bushcare).

Natural Environment Decision System - 2011

Natural Environment Decision System (NEDS) is a spatial model developed by AECOM and Biodiversity and Assessment Management (BAAM) designed to provide an expression of conservation value within Redland City. NEDS aims to supersede the Environmental Inventory mapping. In Phase 1 of NEDS, the system was developed and implemented. Phase 2 involved a number of changes to the spatial layers. This innovative tool delivers a highly sophisticated mapping and data management system that provides strong evidence to assist with environmental policy planning.

NEDS accepts all common digital data and integrates with all Councils existing systems. It primarily utilises updated information layers from the Regional Ecosystems, Wetlands, Conservation Significant Fauna and Flora records, Biodiversity Planning Assessment (BPA) Version 3.5 and Koala Habitat data sets. The supplementary data layers include LiDAR, Protected Areas, Nature Refuges, Essential Habitat and the Environmental Inventory v4. 3. The final output of NEDS is the mapped expression of "Conservation Values" for Redland City.

Redlands Trunk Green Corridors - 2013

The Redlands Trunk Green Corridors was a GIS mapping exercise used to inform large-scale corridor, or connectivity conservation projects. The exercise primarily utilised the Environmental Inventory mapping as the basis for identification of corridors. The mapping was also used to review the list of Council conservation acquisitions and the investigation of potential Council conservation land surplus to requirement.

Wildlife Corridor Mapping - 2014

A report on Wildlife Corridor Mapping for the Redland City Council Mainland was prepared by Biodiversity Assessment and Management Pty Ltd (BAAM). The report generated a heat map of key wildlife corridors that occur between core vegetation areas throughout Redland City's mainland areas.

The wildlife corridor mapping exercise involved:

- Literature review on current wildlife corridor mapping, positioning and ecological function;
- Analysis, weighting and scoring of key factors that impact wildlife corridor formulation and function;
- Identification of a core vegetation areas to find wildlife corridor linkages; and
- Using spatial datasets and the scoring system to create a map rating the level of connectivity between the core vegetation areas.

This completely automated system provided an indicative wildlife corridor map that can be modified and enhanced by expert knowledge and other key habitats and conservation significant species data. It was anticipated that the maps would inform the 2015 Redlands Planning Scheme and set the scene for future detailed work. Ultimately, the development of this mapping is intended to facilitate scientifically robust decision making of wildlife corridors within Redland City.

Redlands Planning Scheme Version 7

The Redlands Planning Scheme 2006 v7 is the primary tool through which land use and development decisions are made across the city.

The policy intent of the Redlands Planning Scheme is underpinned by six 'Desired Environmental Outcomes' which relate to:

"Natural Environment, Character and Identity, Community Health and Well Being, Access and Mobility, Essential Services, Economic Development"

These outcomes are supported by maps that indicate different zoning and attributes of the city. A 'Rural and Habitat Corridor Network' is identified, along with existing 'Urban Habitat Corridors'. The 'Habitat Protection' overlay also provides 'enhancement corridors' which trigger a table of assessment for any development applications. To achieve the 'Natural Environment' desired outcomes, the plan aims to enhance existing natural environment, and support significant ecosystems by providing corridor linkages that support wildlife throughout the city.

Draft City Plan

Council is preparing a new planning scheme. Draft City Plan was released for public notification in late in 2015 and in February 2017 Council resolved to forward the draft planning scheme to the Planning Minister for approval to adopt. The draft City Plan will commence following the Minister's approval and Council adoption.

The draft City Plan incorporated updated mapping of regional ecosystems, koala habitat and waterways, and integrated matters of national, State and local biodiversity significance.

The draft City Plan includes in its strategic framework a strategic outcome for the natural environment specifically addressing corridors that states:

“Viable and resilient wildlife corridors link habitat areas and facilitate the movement and migration of native fauna throughout the Redlands and beyond. Corridors connect terrestrial and aquatic environments (including waterways, wetlands and along the foreshore) and significant habitat. Ecological corridors are primarily protected by the environmental significance and waterway corridors and wetlands overlays as well as the conservation, environmental management and recreation and open space zones. However, other land may also perform corridor functions that are to be protected.”

This is then implemented primarily through the Environmental Significance overlay and the Waterway corridors and wetlands overlay, which together with the Environmental Management, Conservation, and Recreation and Open Space zones identify the city’s areas of environmental value, and include specific provisions within the relevant codes that require development to provide for viable and resilient wildlife corridors.

Appendix 3 – Literature Review of Ecology and Principles of Wildlife Habitat Networks and Corridors

Core Habitat Patches

Core habitat patches are discrete areas of habitat surrounded by areas that are unsuitable as habitat for specific species. A core habitat patch must provide the necessary resources environmental conditions required for survivorship, reproduction, and movement of a species (Hess & Fischer 2001). Smaller habitat patches generally result in smaller flora and fauna populations and this can increase levels of inbreeding, reduce genetic variability, and increase sensitivity to environmental events (Doerr & Davies 2010). To ensure species populations have the required resources for survival, the patch size should be as large as possible to reduce mortality due to movement into unsuitable habitats.

The size and shape of a patch is important in determining suitable habitat for species in the area. For example, an irregular shaped patch will incur maximized edge effects as the area of perimeter is increased, and the area of high quality 'inner' habitat is decreased. This theory therefore favours a circular patch, as the area of perimeter is minimised, along with the presence of edge effects (Forman & Godron, 1986). A buffer of native vegetation also reduces the risk of edge effects, resulting from weed infestation, human-generated damage, microclimatic variables, and predation. A study conducted in New South Wales concluded that a buffer width of 60m was suitable to minimise adverse edge effects from a neighbouring urban environment (Smith & Smith, 2010).

Core habitat patches can be connected by corridors and networks (Milne, 1996). To maximise the use of habitat patches, the patch should be located adjacent to a corridor, and be as large as the environment can accommodate (Fleury & Brown, 1996). The home range of fauna species is also an important factor to consider, as species tend to increase their home range in a more fragmented landscape (Mabry & Barrett, 2002).

Gaps

Doerr & Davies 2010 used literature on bird and mammal species inhabiting wooded habitats to calculate a mean gap-crossing threshold of 106m, indicating that many species are unable to cross open areas that exceed this distance. It was also calculated an interpatch-crossing threshold of 1100m, indicating that many species are unable to disperse between patches of habitat separated by >1100m, even where structural connectivity exists between the patches (Doerr & Davies 2010). Although these calculations were based on limited data, and it is important to remember that different species will have different gap-crossing thresholds, they can provide a useful starting point for modelling and planning.

Length

The length of a successful wildlife corridor is species specific and will alter depending on the fauna being examined. Speed and movement behaviours vary the amount of time a species occupies a corridor, and therefore the required resources for survival. For example, burrowing animals may only move 1m a day, while some birds can travel 100km or more in the same time (Fleury & Brown, 1996). Shorter lengths are ideal to minimise the time spent in corridors, and to maximise

usage of habitat patches (Fleury & Brown, 1996). This also ensures habitat patches are linked closely within a network, and are easy to travel between for a variety of species.

Width

The width of a corridor is vital to its success, influencing edge effects and mortality of the inhabiting species. The wider the corridor, the more successful it tends to be in reducing mortality (Fleury & Brown, 1996). The area of high value habitat is increased in a wider corridor, and edge effects such as predation, solar radiation, wind, humidity, temperature, and pollution are reduced (Sunshine Coast Council, 2011).

Assuming land is available, the width of the corridor should be based on the requirements of a species found in the area that is 'high on the food chain' (Fleury & Brown, 1996). This ensures that the structure of the corridor is suitable for a variety of species, and is specific to the area.

It is important that an appropriate buffer width is provided for wildlife habitat networks and corridors to minimise edge effects and increase efficiency. For riparian corridors, studies have shown that a buffer width of 40m is appropriate to maintain ecological functionality and to minimise impacts from human activities (Seng Mah, et al., 2015). For terrestrial corridors, studies have determined that 50m is an appropriate buffer to minimise edge effects (Cardo Chenoweth, 2012; Smith & Smith, 2010). These width recommendations were determined by the distance human-generated damage, weed invasion, microclimatic variation, predation, and parasitism has been recorded by previous studies conducted in Australia, New Zealand, and the United States (Smith & Smith, 2010).

A study of wildlife presence within corridors in Eden, New South Wales, determined that the optimum corridor width is 250m (Cardo Chenoweth, 2012). A corridor of this width was able to retain a variety of local bird species, along with a complete suite of arboreal mammals from the area. A corridor of 100m or less was able to retain most of the same arboreal mammals, although lacked diversity in other species (Cardo Chenoweth, 2012). Based on this study, a highly successful corridor should be 350m wide, including the 50m buffers to reduce edge effects.

Corridors of varying width can perform different ecological functions. The 'Landscape Corridors of the Coffs Harbour Local Government Area' (Scotts & Cotsell 2014) adopted the following corridor with classifications:

- Regional Corridors: 650 metres wide;
- Subregional Corridors: 350 metres wide;
- River Corridor: 100 metres wide;
- Local Corridors: 80 metres wide;
- Riparian Corridors: 80 metres wide (on 3rd & 4th order streams); and
- Urban Links: variable width but typically less than 80 metres.

Shape

The shape of a corridor affects what species can successfully enter and move through the corridor to reach suitable core habitat patches. It is important that the corridor is easily accessible, with as much linearity as possible (Fleury & Brown, 1996). This ensures that species don't reside in the edge of the corridor where there is a higher risk of mortality. Generally corridors are rectangular in shape, although this is sometimes restricted due to land use. When conflicting land use is a factor, alternative areas of vegetation might become vital in the connectivity of the corridor network. This

can include stepping stones such as street trees and residential gardens that aid in providing a linear corridor to a habitat patch (Hess & Fischer, 2001). Studies have shown that a constant width with 'feathered edges' is the preferred corridor shape, as it minimises exposure to any edge effects, and keeps species movements within the corridor (Fleury & Brown, 1996).

Edge Effects

Edge effects are commonly known as the negative effects on wildlife and natural environments caused by urbanisation (Villasenor, et al., 2014). The effects are due to edge contrast, which is defined as being the compositional or structural difference between adjacent ecosystems at either side of the boundary (Villasenor, et al., 2014). Edges with a high contrast often present greater risks for wildlife, with more elements entering the corridor or habitat patch, and stronger barriers to movement. These hard edges are often formed with urban development such as roads, residential areas, and commercial or industrial developments (Brearley, 2011). Soft edges are preferred, and provide easier permeability to species. These types of edges are formed by wildfires, and vegetation with different ages that eventually blend together (Brearley, 2011).

Abiotic and biotic changes in vegetation can be a result of edge effects in urban environments. A primary response is a direct result of edge creation, which results in abiotic changes such as increased light pollution, fluctuations in temperature, and increased wind speed (Brearley, 2011). As a result of these ecological changes, secondary responses are observed including alterations in vegetation structure and composition (Brearley, 2011). This can include decreased canopy cover, sparse vegetation, and increased debris due to the exposure to the bordering environment.

Other negative edge effects created from an encroaching urban environment include increased competition, predation, changes in microclimate, and human-generated damage (Smith & Smith, 2010). Flora and fauna both experience competition, with invasive weeds becoming a major cause of environmental degradation (Smith & Smith, 2010). Predation by domestic cats on small mammals and birds has been widely researched, and is a common cause of mortality in urban-edge forests (Brearley, 2011). Microclimatic changes are often found up to 50m from the habitat edge, which can affect the native species diversity of the area (Smith & Smith, 2010). Human-generated damage is due to a variety of causes including the dumping of waste and green waste, firewood gathering, destruction of trees, and destruction of understory due to usage as a recreational area. These effects usually occur within the first 30m of the habitat edge, although can often be experienced up to 100m away from the edge (Smith & Smith, 2010).

As edge effects have such a detrimental effect on occupying wildlife, it is importance that an appropriate buffer is maintained around significant habitats. Research indicates that a minimum buffer width of 60m should be applied around all edges of habitat patches to minimise the negative effects of a neighbouring urban environment (Smith & Smith, 2010). The buffer should be comprised of native vegetation, and appropriate measures such as fencing and weed control may be necessary to reduce impacts on the interior habitat (Smith & Smith, 2010). A buffer of 50m should be applied on each side of corridors to reduce edge effects (Cardo Chenoweth, 2012). The purpose of a buffer is to provide protection to the interior habitat without requiring constant active management.

Structure

The structure and composition of wildlife habitat networks and corridors is generally related to the flora species present (Hess & Fischer, 2001). Species requirements of food source trees, vegetation density, and canopy cover will vary. A corridor with diverse flora will generally benefit a greater number of species, and any discontinuity in the composition of the corridor should be avoided (Fleury & Brown, 1996). To increase the structural diversity of a corridor, layers should be incorporated, including grasses, small shrubs, and a variety of native trees (Fleury & Brown, 1996). This increases the habitat available within the corridor by providing a number of horizontal and vertical nesting and foraging sites. Regional Ecosystems can be used to determine the appropriate composition of vegetation communities for a specific area. Other elements such as rock piles, hollows and brush piles can also add to corridor diversity by providing nesting sites and protection.

While wildlife habitat corridors containing continuous and diversely structured habitat are generally the most appropriate for facilitating movement, stepping stone corridors (such as scattered paddock trees) can be equally effective (Doerr & Davies 2010). These stepping stone corridors are not continuous, and may be broken by currently degraded or cleared areas. Stepping stone patches provide connectivity and can function as corridors for mobile species, particularly those willing to cross expanses of cleared land (Scotts & Cotsell 2014).

Barriers

Barriers to species movement along wildlife habitat corridors can come in many forms. Barriers such as highways, railway lines and impermeable fences can increase the mortality rate of some wildlife attempting to cross the barrier (Selles, O'Hare & Veage, 2008). Roads can be particularly significant barrier to wildlife movement, causing deaths and enabling behavioural avoidance due to traffic density, noise, and lighting (Clevenger & Kociolek, 2013). To encourage safe movement across roads, crossing infrastructure can be implemented in hot spots (areas with a high wildlife presence) (Garrah, et al., 2015). Crossing infrastructure includes underpasses such as culverts, passages, and tunnels, and overpasses such as bridges (Lister, et al., 2015). Barrier fencing can be a useful strategy to filter wildlife and ensure crossing is made at these underpasses or overpasses, which are often known as 'fauna guiding fences' or drift fences' (Gleeson & Gleeson, 2012). However not all barriers present a complete impasse for all wildlife movement, some barriers may be a hindrance for certain species and not others. For example, barbed wire fences allow passage for many species however fruit bats and gliders are susceptible to being caught on these structures.

Stepping Stones

Stepping Stones can be defined as patches of habitat that, while not physically connected, are functionally connected, allowing movement between larger patches (National Wildlife Corridors Plan 2012). Stepping stones of suitable habitat enhance connectivity in developed landscapes for species able to make short movements through disturbed environments. Connectivity is achieved by a sequence of short movements or 'hops' from stepping stone to stepping stone along the length of the linkage, or by the combined dispersal movements of numerous individuals moving between populations resident within a chain of stepping stone habitats (Bennett 2003).

Stepping stones may be natural patches, such as wetlands or patches of rainforest within drier forests or they may be small remnant patches of vegetation in a developed landscape. They can also be anthropogenic in form of forestry plantations, artificial water bodies or urban. Scattered trees are the most recognised form of stepping stones and are important to native fauna for movement, foraging habitat and nesting resources (Gleeson & Gleeson 2012). Vegetated stepping stones are used by various mobile species, and are important sources of seed for regeneration of adjacent vegetation.

Stepping stones are likely to be an effective approach to maintaining landscape connectivity:

- for species that regularly move between different resource patches in the landscape (such as temporally varying food sources, or spatially separated nesting and foraging habitat);
- for species that are relatively mobile and able to move substantial distances in relation to the intervening distance between fragments;
- for species that are tolerant of disturbed landscapes, although not necessarily able to live within the modified zone; and
- where the objective is to maintain continuity of ecological processes that depend on animal movements and the animal vectors are capable of movement across gaps (Bennett 2003).

**For Appendices 4 to 8 refer to associated document
'Corridor Descriptions and Locations 2018-2028'**

Appendix 4 – Established Corridors

Appendix 5 – Regional Riparian Corridors (BPA)

Appendix 6 – Coastal Foreshore Corridors

Appendix 7 – Enhancement Corridors

Appendix 7a – Enhancement Corridors in Known Development
Areas Corridors

Appendix 8 – Stepping Stone Corridors

